

 **BELLSOUTH**
REC'D TN
REGULATORY AUTH.

BellSouth Telecommunications, Inc.
333 Commerce Street, Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

01 APR 4 11:53
Guy M. Hicks
General Counsel

OFFICE OF THE
April 4, 2001 EXECUTIVE SECRETARY
Fax 615 214 7406

VIA HAND DELIVERY


David Waddell, Executive Secretary
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, TN 37238

Re: *Petition by ITC^DeltaCom Communications, Inc. for Arbitration of
Certain Unresolved Issues in Interconnection Agreement Negotiations
Between ITC^DeltaCom and BellSouth Telecommunications, Inc.*
Docket No. 99-00430

Dear Mr. Waddell:

Enclosed are fourteen copies of a Joint Motion for the TRA to Approve the
Parties' Settlement of Petition Issue 1(A) submitted by BellSouth and DeltaCom.

Very truly yours,



Guy M. Hicks

GMH:ch
Enclosure

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

IN RE: *Petition by ITC^DeltaCom Communications, Inc. for Arbitration of Certain Unresolved Issues in Interconnection Agreement Negotiations Between ITC^DeltaCom and BellSouth Telecommunications, Inc.*

Docket No. 99-00430



**JOINT MOTION FOR THE TRA TO APPROVE THE PARTIES SETTLEMENT OF
PETITION ISSUE 1(A)**

BellSouth Telecommunications, Inc. ("BellSouth") and ITC^DeltaCom Communications, Inc. ("ITC^DeltaCom") file their Joint Motion For The TRA to Approve the Parties' Settlement of Petition Issue 1(a). :

1. BellSouth and ITC^DeltaCom have reached a settlement of Petition Issue 1(a), the performance measurements and remedies issue, in the ITC^DeltaCom and BellSouth arbitration proceeding. The Parties have agreed to include the performance measures and remedies plan proposed by BellSouth on March 12, 2001 as Attachment 10 to the Interconnection Agreement in lieu of the TRA's the performance measures and remedies ordered on February 23, 2001.
2. This settlement is contingent upon the TRA granting this Motion allowing the Parties to include the performance measures and remedies plan proposed in BellSouth's March 12, 2001, Motion for Reconsideration and Clarification (hereafter the "BellSouth Plan") in the interconnection agreement to be filed with the Authority. The BellSouth Plan is attached hereto as Exhibit One.
3. Because the Parties have reached a settlement on Petition Issue 1(a), ITC^DeltaCom will not file in opposition to BellSouth's Motion for Reconsideration of Petition Issue 1(a). The Parties

request that the TRA grant this Motion for Approval of the Parties Settlement of Petition Issue 1(a).

Respectfully submitted,

| | |
|--|---|
| <p>ITC^Deltacom Communications, Inc.</p> <p></p> <p>H. LaDon Baltimore FARRAR & BATES, LLP 211 Seventh Avenue North Suite 420 Nashville, Tennessee 37219 (615) 254-3060</p> | <p>BellSouth Telecommunications, Inc.</p> <p></p> <p>Guy M. Hicks 333 Commerce Street, Suite 2101 Nashville, Tennessee 37201-3300 (615) 214-6301</p> <p>R. Douglas Lackey E. Earl Edenfield Jr. 675 West Peachtree Street, N.E. Suite 4300, BellSouth Center Atlanta, GA 30375-0001</p> |
|--|---|

CERTIFICATE OF SERVICE


I hereby certify that on April 4, 2001, a copy of the foregoing document was served on the parties of record, via the method indicated:

- ☒ Hand
- ☐ Mail
- ☐ Facsimile
- ☐ Overnight

H. LaDon Baltimore, Esquire
Farrar & Bates
211 Seventh Ave. N, # 320
Nashville, TN 37219-1823

- ☐ Hand
- ☒ Mail
- ☐ Facsimile
- ☐ Overnight

Nanette S. Edwards, Esquire
ITC^DeltaCom
4092 South Memorial Parkway
Huntsville, AL 35802

A handwritten signature in black ink, consisting of a large, stylized loop followed by a horizontal line.

ATTACHMENT 1

BellSouth Service Quality Measurement Plan (SQM)

Tennessee Performance Metrics

**Measurement Descriptions
Version 0.01**

Issue Date: March 12, 2001

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (orders of 12/30/97 and 1/12/01 in Docket 7892-U), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <https://pmap.bellsouth.com> in the Help folder.

1. Alternative Local Exchange Companies (ALEC) and Competitive Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Contents

Section 1: Operations Support Systems (OSS)

| | |
|--|------|
| OSS-1: Average Response Time and Response Interval (Pre-Ordering/Ordering) | 1-1 |
| OSS-2: Interface Availability (Pre-Ordering/Ordering) | 1-6 |
| OSS-3: Interface Availability (Maintenance & Repair) | 1-9 |
| OSS-4: Response Interval (Maintenance & Repair) | 1-11 |
| PO-1: Loop Makeup - Response Time – Manual | 1-13 |
| PO-2: Loop Make Up - Response Time - Electronic | 1-15 |

Section 2: Ordering

| | |
|---|------|
| O-1: Acknowledgement Message Timeliness | 2-1 |
| O-2: Acknowledgement Message Completeness | 2-3 |
| O-3: Percent Flow-Through Service Requests (Summary) | 2-5 |
| O-4: Percent Flow-Through Service Requests (Detail) | 2-8 |
| O-5: Flow-Through Error Analysis | 2-11 |
| O-6: CLEC LSR Information | 2-13 |
| O-7: Percent Rejected Service Requests | 2-19 |
| O-8: Reject Interval | 2-21 |
| O-9: Firm Order Confirmation Timeliness | 2-24 |
| O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual | 2-27 |
| O-11: Firm Order Confirmation and Reject Response Completeness | 2-29 |
| O-12: Speed of Answer in Ordering Center | 2-31 |
| O-13: LNP-Percent Rejected Service Requests | 2-33 |
| O-14: LNP-Reject Interval Distribution & Average Reject Interval | 2-35 |
| O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval | 2-38 |

Section 3: Provisioning

| | |
|--|------|
| P-1: Mean Held Order Interval & Distribution Intervals | 3-1 |
| P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices | 3-4 |
| P-3: Percent Missed Installation Appointments | 3-6 |
| P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution | 3-8 |
| P-5: Average Completion Notice Interval | 3-11 |
| P-6: Coordinated Customer Conversions Interval | 3-14 |
| P-6A: Coordinated Customer Conversions – Hot Cut Timeliness % Within Interval and Average Interval | 3-16 |
| P-6B: Coordinated Customer Conversions – Average Recovery Time | 3-18 |
| P-6C: Coordinated Customer Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order | 3-20 |
| P-7: Cooperative Acceptance Testing - % of xDSL Loops Tested | 3-22 |
| P-8: % Provisioning Troubles within 30 days of Service Order Completion | 3-24 |
| P-9: Total Service Order Cycle Time (TSOCT) | 3-26 |
| P-10: LNP-Percent Missed Installation Appointments | 3-28 |
| P-11: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution | 3-30 |
| P-12: LNP-Total Service Order Cycle Time (TSOCT) | 3-32 |

Section 4: Maintenance & Repair

| | |
|---|-----|
| M&R-1: Missed Repair Appointments | 4-1 |
| M&R-2: Customer Trouble Report Rate | 4-3 |

| | |
|--|------|
| M&R-3: Maintenance Average Duration | 4-5 |
| M&R-4: Percent Repeat Troubles within 30 Days | 4-7 |
| M&R-5: Out of Service (OOS) > 24 Hours | 4-9 |
| M&R-6: Average Answer Time – Repair Centers | 4-11 |
| M&R-7: Mean Time To Notify CLEC of Network Outages | 4-12 |

Section 5: Billing

| | |
|---|------|
| B-1: Invoice Accuracy | 5-1 |
| B2: Mean Time to Deliver Invoices | 5-3 |
| B3: Usage Data Delivery Accuracy | 5-5 |
| B4: Usage Data Delivery Completeness | 5-7 |
| B5: Usage Data Delivery Timeliness | 5-9 |
| B6: Mean Time to Deliver Usage | 5-11 |
| B7: Recurring Charge Completeness | 5-13 |
| B8: Non-Recurring Charge Completeness | 5-14 |

Section 6: Operator Services And Directory Assistance

| | |
|---|-----|
| OS-1: Speed to Answer Performance/Average Speed to Answer - Toll | 6-1 |
| OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds – Toll | 6-3 |
| DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) | 6-4 |
| DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA) | 6-5 |

Section 7: Database Update Information

| | |
|--|-----|
| D-1: Average Database Update Interval | 7-1 |
| D-2: Percent Database Update Accuracy | 7-3 |
| D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date | 7-5 |

Section 8: E911

| | |
|--------------------------|-----|
| E-1: Timeliness | 8-1 |
| E-2: Accuracy | 8-3 |
| E-3: Mean Interval | 8-4 |

Section 9: Trunk Group Performance

| | |
|--|-----|
| TGP-1: Trunk Group Performance-Aggregate | 9-1 |
| TGP-2: Trunk Group Performance-CLEC Specific | 9-3 |

Section 10: Collocation

| | |
|--|------|
| C-1: Collocation Average Response Time | 10-1 |
| C-2: Collocation Average Arrangement Time | 10-3 |
| C-3: Collocation Percent of Due Dates Missed | 10-5 |

Section 11: Change Management

| | |
|--|------|
| CM-1: Timeliness of Change Management Notices | 11-1 |
| CM-2: Change Management Notice Average Delay Days | 11-3 |
| CM-3: Timeliness of Documents Associated with Change | 11-4 |
| CM-4: Change Management Documentation Average Delay Days | 11-5 |
| CM-5: Notification of CLEC Interface Outages | 11-7 |

Appendix A: Reporting Scope **A-1**

| | |
|--|-----|
| A-1: Standard Service Groupings | A-1 |
| A-2: Standard Service Order Activities | A-1 |

Appendix B: Glossary of Acronyms and Terms **B-1**



| | |
|---|------------|
| Appendix C: BellSouth Audit Policy | C-1 |
| C-1: BellSouth's Internal Audit Policy | C-1 |
| C-2: BellSouth's External Audit Policy | C-1 |

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Time and Response Interval (Pre-Ordering/Ordering)

Definition

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

None

Business Rules

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

Calculation

Response Time = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

Average Response Time = c ÷ d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

Report Structure

- Not CLEC Specific
- Not product/service specific
- Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none">• Report month• Legacy Contract (per reporting dimension)• Response Interval• Regional Scope | <ul style="list-style-type: none">• Report month• Legacy Contract (per reporting dimension)• Response Interval• Regional Scope |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| <ul style="list-style-type: none"> • RSAG – Address (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system. • RSAG – TN (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. • ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. • COFFI (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • DSAP (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system. • HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system. • P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system. • OASIS (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system. | <ul style="list-style-type: none"> • Parity + 4 seconds. |

OSS-1: Average Response Time and Response Interval (Pre-Ordering/Ordering)

Table 1: Legacy System Access Times For RNS

| System | Contract | Data | < 2.3 sec. | > 6 sec. | ≤ 6.3 sec. | Avg. Sec. | # of Calls |
|--------|-----------|-----------------|------------|----------|------------|-----------|------------|
| RSAG | RSAG-TN | Address | x | x | x | x | x |
| RSAG | RSAG-ADDR | Address | x | x | x | x | x |
| ATLAS | ATLAS-TN | TN | x | x | x | x | x |
| DSAP | DSAP-DDI | Schedule | x | x | x | x | x |
| CRIS | CRSACCTS | CSR | x | x | x | x | x |
| OASIS | OASISBSN | Feature/Service | x | x | x | x | x |
| OASIS | OASISCAR | Feature/Service | x | x | x | x | x |
| OASIS | OASISLPC | Feature/Service | x | x | x | x | x |
| OASIS | OASISMTN | Feature/Service | x | x | x | x | x |
| OASIS | OASISBIG | Feature/Service | x | x | x | x | x |

Table 2: Legacy System Access Times For R0S

| System | Contract | Data | < 2.3 sec. | > 6 sec. | ≤6.3 sec. | Avg. sec. | # of Calls |
|--------|-----------|-----------------|------------|----------|-----------|-----------|------------|
| RSAG | RSAG-TN | Address | x | x | x | x | x |
| RSAG | RSAG-ADDR | Address | x | x | x | x | x |
| ATLAS | ATLAS-TN | TN | x | x | x | x | x |
| DSAP | DSAP-DDI | Schedule | x | x | x | x | x |
| CRIS | CRSOCSR | CSR | x | x | x | x | x |
| OASIS | OASISBIG | Feature/Service | x | x | x | x | x |

Table 3: Legacy System Access Times For LENS

| System | Contract | Data | < 2.3 sec. | > 6 sec. | ≤6.3 sec. | Avg. sec. | # of Calls |
|--------|------------|-----------------|------------|----------|-----------|-----------|------------|
| RSAG | RSAG-TN | Address | x | x | x | x | x |
| RSAG | RSAG-ADDR | Address | x | x | x | x | x |
| ATLAS | ATLAS-TN | TN | x | x | x | x | x |
| DSAP | DSAP-DDI | Schedule | x | x | x | x | x |
| HAL | HAL/CRIS | CSR | x | x | x | x | x |
| COFFI | COFFI/USOC | Feature/Service | x | x | x | x | x |
| P/SIMS | PSIMS/ORB | Feature/Service | x | x | x | x | x |

Table 4: Legacy System Access Times For TAG

| System | Contract | Data | < 2.3 sec. | > 6 sec. | ≤6.3 sec. | Avg. sec. | # of Calls |
|--------|-----------|----------|------------|----------|-----------|-----------|------------|
| RSAG | RSAG-TN | Address | x | x | x | x | x |
| RSAG | RSAG-ADDR | Address | x | x | x | x | x |
| ATLAS | ATLAS-TN | TN | x | x | x | x | x |
| ATLAS | ATLAS-MLH | TN | x | x | x | x | x |
| ATLAS | ATLAS-DID | TN | x | x | x | x | x |
| DSAP | DSAP-DDI | Schedule | x | x | x | x | x |
| CRIS | CRSEINIT | CSR | x | x | x | x | x |
| CRIS | CRSECSR | CSR | x | x | x | x | x |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

Note: CLEC specific data is not available in this measure. Queues of this sort do not have company specific signatures.

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • RSAG – Address (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system. • RSAG – TN (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. • ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. • COFFI (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • DSAP (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system. • HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system. • P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system. • OASIS (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system. | <ul style="list-style-type: none"> • Percent Response Received within 6.3 seconds: > 95% |

SEEM OSS Legacy Systems

| System | BellSouth | CLEC |
|-------------------------------------|-----------|-----------|
| Telephone Number/Address | | |
| RSAG | RNS, ROS | TAG, LENS |
| Atlas | RNS, ROS | TAG, LENS |
| DSAP | RNS, ROS | TAG, LENS |
| CSR Data | | |
| CRSACCTS | RNS | |
| CRSOCSR | ROS | |
| HAL/CRIS | | LENS |
| CRSE INIT | | TAG |
| CRSOCSR | | TAG |
| Service/Feature Availability | | |
| OASISBSN | RNS | |
| OASISCAR | RNS | |
| OASISLPC | RNS | |

| System | BellSouth | CLEC |
|------------|-----------|------|
| OASISMTN | RNS | |
| OASISBIG | RNS, ROS | |
| COFFI/USOC | | LENS |
| PSIMS/ORB | | LENS |

OSS-2: Interface Availability (Pre-Ordering/Ordering)

Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface systems and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the ICS Operations internet site: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

None

Business Rules

This measurement captures the availability percentages for the BellSouth systems, which are used by CLECs during Pre-Ordering functions. Comparing the percentages to BellSouth results allows conclusions as to whether an equal opportunity exists for the CLEC to deliver a comparable customer experience.

Note: Only full outages are used in the calculation of Application Availability.

A full outage is incurred when any of the following circumstances exist:

- The application or system is down.
- The application or system is inaccessible, for any reason, by the customers who normally access the application or system.
- More than one work center cannot access the application or system for any reason.
- When only one work center accesses an application or system and 40% or more of the clients in that work center cannot access the application.
- When 40% of the functions the clients normally perform or 40% of the functionality that is normally provided by an application or system is unavailable.

Calculation

Interface Availability (Pre-Ordering/Ordering) = $(a - b) \times 100$

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not product/service specific
- Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| Report month | Report month |
| • Legacy Contract Type (per reporting dimension) | • Legacy Contract Type (per reporting dimension) |
| • Regional Scope | • Regional Scope |
| • Hours of Downtime | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • Regional Level | • $\geq 99.5\%$ |

OSS Interface Availability

| OSS Interface | Applicable to | % Availability |
|---------------|----------------|-------------------|
| EDI | CLEC | x |
| HAL | CLEC | x |
| LENS | CLEC | x |
| LEO Mainframe | CLEC | x |
| LEO UNIX | CLEC | x |
| LESOG | CLEC | x |
| PSIMS | CLEC | x |
| TAG | CLEC | x |
| ATLAS/COFFI | CLEC/BellSouth | x |
| BOCRIS | CLEC/BellSouth | x |
| DSAP | CLEC/BellSouth | x |
| RSAG | CLEC/BellSouth | x |
| SOCS | CLEC/BellSouth | x |
| SONGS | CLEC/BellSouth | x |
| RNS | BellSouth | Under Development |
| ROS | BellSouth | Under Development |

OSS-2: Interface Availability (Pre-Ordering/Ordering)

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Regional Level | • ≥ 99.5% |

SEEM OSS Interface Availability

| OSS Interface | Applicable to | % Availability |
|---------------|---------------|----------------|
| EDI | CLEC | x |
| HAL | CLEC | x |
| LENS | CLEC | x |
| LEO Mainframe | CLEC | x |
| LEO UNIX | CLEC | x |
| LESOG | CLEC | x |
| PSIMS | CLEC | x |
| TAG | CLEC | x |

OSS-2: Interface Availability (Pre-Ordering/Ordering)

OSS-3: Interface Availability (Maintenance & Repair)

Definition

This measures the percentage of time the OSS Interface is functionally available compared to scheduled availability. Availability percentage for the CLEC and BellSouth interface systems and for the legacy systems accessed by them are captured.

Exclusions

None

Business Rules

This measure is designed to compare the OSS availability versus scheduled availability of BellSouth's legacy systems.

Note: Only full outages are used in the calculation of Application Availability. A full outage is incurred when any of the following circumstances exists:

- The application or system is down.
- The application or system is inaccessible, for any reason, by the customers who normally access the application or system.
- More than one work center cannot access the application or system for any reason.
- When only one work center accesses an application or system and 40% or more of the clients in that work center cannot access the application.
- When 40% of the functions the clients normally perform or 40% of the functionality that is normally provided by an application or system is unavailable.

Calculation

OSS Interface Availability $(a - b) \times 100$

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Not CLEC Specific
- Not product/service specific
- Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| <ul style="list-style-type: none"> • Availability of CLEC TAFI • Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM • ECTA | <ul style="list-style-type: none"> • Availability of BellSouth TAFI • Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • Regional Level | <ul style="list-style-type: none"> • $\geq 99.5\%$ |

OSS Interface Availability (M&R)

| OSS Interface | % Availability |
|-----------------------------|----------------|
| BellSouth TAFI | x |
| CLEC TAFI | x |
| CLEC ECTA | x |
| BellSouth & CLEC | x |
| CRIS | x |
| LMOS HOST | x |
| LNP | x |
| MARCH | x |
| OSPCM | x |
| PREDICTOR | x |
| SOCS | x |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Regional Level | • ≥ 99.5% |

OSS Interface Availability (M&R)

| OSS Interface | % Availability |
|---------------|----------------|
| CLEC TAFI | x |
| CLEC ECTA | x |

OSS-3: Interface Availability (Maintenance & Repair)

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c - d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is ≤ 4 , $4 < 10$, $10 \leq 30$, or > 30 seconds

Report Structure

- Not CLEC Specific
- Not product/service specific
- Regional Level

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|------------------------------|---|
| • CLEC Transaction Intervals | • BellSouth Business and Residential Transactions Intervals |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark: |
|-----------------------------|--------------------------|
| • Regional Level | • Parity |

Legacy System Access Times for M&R

| System | BellSouth & CLEC | Count | | | | |
|-----------|------------------|-------|----------|------|------|------|
| | | ≤ 4 | > 4 ≤ 10 | ≤ 10 | > 10 | > 30 |
| CRIS | x | x | x | x | x | x |
| DLETH | x | x | x | x | x | x |
| DLR | x | x | x | x | x | x |
| LMOS | x | x | x | x | x | x |
| LMOSupd | x | x | x | x | x | x |
| LNP | x | x | x | x | x | x |
| MARCH | x | x | x | x | x | x |
| OSPCM | x | x | x | x | x | x |
| Predictor | x | x | x | x | x | x |
| SOCS | x | x | x | x | x | x |
| NIW | x | x | x | x | x | x |

OSS-4: Response Interval (Maintenance & Repair)

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

PO-1: Loop Makeup - Response Time - Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- Canceled Inquiries.

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

1. From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
2. From SAC start date to SAC complete date.
3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c - d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e ÷ f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - 0 - 1 day
 - >1 - 2 days
 - >2 - 3 days
 - 0 - ≤ 3 days
 - >3 - 6 days

- >6 – 10 days
- > 10 days
- Average Interval in days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|----------------------------------|
| <ul style="list-style-type: none"> • Report Month • Total Number of Inquiries • SI Intervals • State and Region | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|---------------------------------------|
| <ul style="list-style-type: none"> • Loops | Benchmark • 95% in 3 Business Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|---------------------------------------|
| <ul style="list-style-type: none"> • Loops | Benchmark • 95% in 3 Business Days |

PO-2: Loop Make Up - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- Canceled Requests.

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

Note: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c ÷ d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e - f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUs:
 - 0 - 1 minute
 - >1 - 5 minutes
 - 0 - ≤ 5 minutes
 - > 5 - 8 minutes
 - > 8 - 15 minutes
 - > 15 minutes
- Average Interval in minutes

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|--|
| <ul style="list-style-type: none"> • Report Month • Legacy Contract • Response Interval • Regional Scope | <ul style="list-style-type: none"> • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • Loop | Benchmark <ul style="list-style-type: none"> • 90% in 5 Minutes (Reassess after 6 months - new system) |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • Loop | <ul style="list-style-type: none"> • 90% in 5 Minutes (Reassess after 6 months - new system) |

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval from the time an LSR is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

Exclusions

None

Business Rules

The process includes EDI & TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c - d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

Reporting Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Electronically Submitted LSRs
 - 0 - ≤ 10 minutes
 - > 10 - ≤ 20 minutes
 - > 20 - ≤ 30 minutes
 - 0 - ≤ 30 minutes
 - > 30 - ≤ 45 minutes
 - > 45 - ≤ 60 minutes
 - > 60 - ≤ 120 minutes
 - > 120 minutes
- Average interval for electronically submitted LSRs in minutes

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report month • Record of functional acknowledgements | <ul style="list-style-type: none"> • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|--|
| • EDI | • EDI – 90% within 30 minutes (6 months – 95% within 30 minutes) |
| • TAG | • TAG – 95% within 30 minutes |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|--|
| • EDI | • EDI – 90% within 30 minutes (6 months – 95% within 30 minutes) |
| • TAG | • TAG – 95% within 30 minutes |

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of LSRs received via EDI or TAG, which are acknowledged electronically.

Exclusions

Manually submitted LSRs

Business Rules

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

Calculation

$$\text{Acknowledgement Completeness} = (a \div b) \times 100$$

- a = Total number of Functional Acknowledgements returned in the reporting period for LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report month • Record of functional acknowledgements | <ul style="list-style-type: none"> • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • EDI • TAG | <ul style="list-style-type: none"> • Benchmark: 100% |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|---|
| <ul style="list-style-type: none">• EDI• TAG | <ul style="list-style-type: none">• Benchmark: 100% |

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- Manual Fallout
- CLEC System Fallout

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAQ or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- | | |
|---|--|
| 1. Complex* | 8. Denials-restore and conversion, or disconnect and conversion orders |
| 2. Special pricing plans | 9. Class of service invalid in certain states with some types of service |
| 3. Some Partial migrations | 10. Low volume such as activity type "T" (move) |
| 4. New telephone number not yet posted to BOCRIS | 11. More than 25 business lines, or more than 15 loops |
| 5. Pending order review required | 12. Transfer of calls option for the CLEC end users |
| 6. CSR inaccuracies such as invalid or missing CSR data in CRIS | 13. Directory Listings (Indentations and Captions) |
| 7. Expedites (requested by the CLEC) | |
- for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

$$\text{Percent Flow Through} = a - [b - (c + d + e + f)] \times 100$$

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

$$\text{Percent Achieved Flow Through} = a - [b - (c + d + e)] \times 100$$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

- CLEC Aggregate
 - Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance: |
|---|--|
| <ul style="list-style-type: none"> • Report month • Total number of LSRs received, by interface, by CLEC <ul style="list-style-type: none"> - TAG - EDI - LENS • Total number of errors by type, by CLEC <ul style="list-style-type: none"> - Fatal rejects - Auto clarification - CLEC caused system fallout • Total number of errors by error code • Total fallout for manual processing | <ul style="list-style-type: none"> • Report month • Total number of errors by type <ul style="list-style-type: none"> - BellSouth system error |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark ^a |
|-----------------------------|--------------------------------------|
| • Residence | • Benchmark: 95% |
| • Business | • Benchmark: 90% |
| • UNE | • Benchmark: 85% |
| • LNP | • Benchmark: 85% |

^a Benchmarks do not apply to the "Percent Achieved Flow Through."

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| Yes | Tier I |
| | Tier II |
| | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark ^a |
|---------------------|------------------------------------|
| • Residence | • Benchmark: 95% |
| • Business | • Benchmark: 90% |
| • UNE | • Benchmark: 85% |
| • LNP | • Benchmark: 85% |

a. Benchmarks do not apply to the "Percent Achieved Flow Through."

O-3: Percent Flow-Through Service Requests (Summary)

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- Manual Fallout
- CLEC System Fallout

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE) and specials. The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- | | |
|---|--|
| 1. Complex* | 8. Denials-restore and conversion, or disconnect and conversion orders |
| 2. Special pricing plans | 9. Class of service invalid in certain states with some types of service |
| 3. Some Partial migrations | 10. Low volume such as activity type "T" (move) |
| 4. New telephone number not yet posted to BOCRIS | 11. More than 25 business lines, or more than 15 loops |
| 5. Pending order review required | 12. Transfer of calls option for the CLEC end users |
| 6. CSR inaccuracies such as invalid or missing CSR data in CRIS | 13. Directory Listings (Indentations and Captions) |
| 7. Expedites (requested by the CLEC) | |
- * for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

$$\text{Percent Flow Through} = a - [b - (c + d + e + f)] \times 100$$

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status.

$$\text{Percent Achieved Flow Through} = a - [b - (c + d + e)] \times 100$$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- Mechanized interface used
- Total mechanized LSRs
- Total manual fallout
- Number of auto clarifications returned to CLEC
- Number of validated LSRs
- Number of BellSouth caused fallout
- Number of CLEC caused fallout
- Number of Service Orders Issued
- Base calculation
- CLEC error excluded calculation

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| <ul style="list-style-type: none"> • Report month • Total number of LSRs received, by interface, by CLEC <ul style="list-style-type: none"> - TAG - EDI - LENS • Total number of errors by type, by CLEC <ul style="list-style-type: none"> - Fatal rejects - Auto clarification - CLEC errors • Total number of errors by error code • Total fallout for manual processing | <ul style="list-style-type: none"> • Report month • Total number of errors by type <ul style="list-style-type: none"> - BellSouth system error |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark ^a |
|-----------------------------|--------------------------------------|
| • Residence | • Benchmark: 95% |
| • Business | • Benchmark: 90% |
| • UNE | • Benchmark: 85% |

| SQM Level of Disaggregation | Retail Analog/Benchmark ^a |
|---|--------------------------------------|
| • LNP | • Benchmark: 85% |
| <i>a. Benchmarks do not apply to the "Percent Achieved Flow Through."</i> | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

O-5: Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type.

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- Count of each error type
- Percent of each error type
- Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- Percent of aggregate by CLEC caused count
- Percent of CLEC caused count
- BellSouth Caused Count of each error code
- Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| <ul style="list-style-type: none"> • Report month • Total number of LSRs received • Total number of errors by type (by error code) - CLEC caused error | <ul style="list-style-type: none"> • Report month • Total number of errors by type (by error code) - BellSouth system error |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • NA | • NA |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- LSRs submitted manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

NA

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|----------------------------------|
| <ul style="list-style-type: none"> • Report month • Record of LSRs received by CC, PON and Ver • Record of Timestamp, Type, Err # and Note or Error Description for each LSR by CC, PON and Ver | NA |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • NA | • NA |

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

O-6: CLEC LSR Information

Table 1: LSR Flow-Through Matrix

| Product | F/T ³ | Complex Service ⁴ | Complex Order | Planned Fallout For Manual Handling ¹ | Edi | Tag ² | Lens | Comments |
|-------------------------------------|------------------|------------------------------|---------------|--|-----|------------------|------|----------|
| 2 wire analog DID trunk port | No | UNE | Yes | NA | N | N | N | |
| 2 wire analog port | Yes | UNE | No | No | Y | Y | N | |
| 2 wire ISDN digital line side port | No | UNE | Yes | NA | N | N | N | |
| 2 wire ISDN digital loop | Yes | UNE | Yes | No | Y | Y | N | |
| 3 Way Calling | Yes | No | No | No | Y | Y | Y | |
| 4 wire analog voice grade loop | Yes | UNE | Yes | No | Y | Y | N | |
| 4 wire DS0 & PRI digital loop | No | UNE | Yes | NA | N | N | N | |
| 4 wire DS1 & PRI digital loop | No | UNE | Yes | NA | N | N | N | |
| 4 wire ISDN DS1 digital trunk ports | No | UNE | Yes | NA | N | N | N | |
| Accupulse | No | Yes | Yes | NA | N | N | N | |
| ADSL | Yes | UNE | No | No | Y | Y | N | |
| Area Plus | Yes | No | No | No | Y | Y | Y | |
| Basic Rate ISDN | No | Yes | Yes | Yes | Y | Y | N | |
| Call Block | Yes | No | No | No | Y | Y | Y | |
| Call Forwarding-Variable | Yes | No | No | No | Y | Y | Y | |
| Call Return | Yes | No | No | No | Y | Y | Y | |
| Call Selector | Yes | No | No | No | Y | Y | Y | |
| Call Tracing | Yes | No | No | No | Y | Y | Y | |
| Call Waiting | Yes | No | No | No | Y | Y | Y | |
| Call Waiting Deluxe | Yes | No | No | No | Y | Y | Y | |
| Caller ID | Yes | No | No | No | Y | Y | Y | |
| CENTREX | No | Yes | Yes | NA | N | N | N | |

Table 1: LSR Flow-Through Matrix

| Product | FT ³ | Complex Service ⁴ | Complex Order | Planned Fallout For Manual Handling ¹ | Edi | Tag ² | Lens | Comments |
|------------------------------|-----------------|------------------------------|---------------|--|-----|------------------|------|----------|
| DID WITH PBX ACT W | No | Yes | Yes | Yes | Y | N | Y | |
| DID ACT W | No | Yes | Yes | Yes | Y | N | Y | |
| Digital Data Transport | No | UNE | Yes | NA | N | N | N | |
| Directory Listing Indentions | No | No | No | Yes | Y | Y | Y | |
| Directory Listings Captions | No | No | Yes | Yes | Y | Y | Y | |
| Directory Listings (simple) | Yes | No | No | No | Y | Y | Y | |
| DS3 | No | UNE | Yes | NA | N | N | N | |
| DS1 Loop | Yes | UNE | Yes | No | Y | Y | N | |
| DS0 Loop | Yes | UNE | Yes | No | Y | Y | N | |
| Enhanced Caller ID | Yes | No | No | No | Y | Y | Y | |
| ESSX | No | Yes | Yes | NA | N | N | N | |
| Flat Rate/Business | Yes | No | No | No | Y | Y | Y | |
| Flat Rate/Residence | Yes | No | No | No | Y | Y | Y | |
| FLEXSERV | No | Yes | Yes | NA | N | N | N | |
| Frame Relay | No | Yes | Yes | NA | N | N | N | |
| FX | No | Yes | Yes | NA | N | N | N | |
| Ga. Community Calling | Yes | No | No | No | Y | Y | Y | |
| HDSL | Yes | UNE | No | No | Y | Y | N | |
| Hunting MLH | No | C/S | C/S | Yes | Y | Y | N | |
| Hunting Series Completion | No | C/S | C/S | No | Y | Y | Y | |
| INP to LNP Conversions | No | UNE | Yes | Yes | Y | Y | N | |
| LightGate | No | Yes | Yes | NA | N | N | N | |

Table 1: LSR Flow-Through Matrix

| Product | FT ³ | Complex Service ⁴ | Complex Order | Planned Fallout For Manual Handling ¹ | Edi | Tag ² | Lens | Comments |
|--|-----------------|------------------------------|---------------|--|-----|------------------|------|----------|
| Local Number Portability | Yes | UNE | Yes | No | Y | Y | N | |
| LNP with Complex Listing | No | UNE | Yes | Yes | Y | Y | N | |
| LNP with Partial Migration | No | UNE | Yes | Yes | Y | Y | N | |
| LNP with Complex Services | No | UNE | Yes | Yes | Y | Y | N | |
| Loop + LNP | Yes | UNE | No | No | Y | Y | N | |
| Loop + LNP | Yes | UNE | No | No | Y | Y | N | |
| Measured Rate Bus | Yes | No | No | No | Y | Y | Y | |
| Measured Rate Res | Yes | No | No | No | Y | Y | Y | |
| Megalink | No | Yes | Yes | NA | N | N | N | |
| Megalink-T1 | No | Yes | Yes | NA | N | N | N | |
| Memory Call | Yes | No | No | No | Y | Y | Y | |
| Memory Call Ans. Svc. | Yes | No | No | No | Y | Y | Y | |
| Multiserv | No | Yes | Yes | NA | N | N | N | |
| Native Mode LAN Interconnection (NMLI) | No | Yes | Yes | NA | N | N | N | |
| Off-Prem Stations | No | Yes | Yes | NA | N | N | N | |
| Optional Calling Plan | Yes | No | No | No | Y | Y | Y | |
| Package/Complete Choice and area plus | Yes | No | No | No | Y | Y | Y | |
| Pathlink Primary Rate ISDN | No | Yes | Yes | NA | N | N | N | |
| Pay Phone Provider | No | No | No | NA | N | N | N | |
| PBX Standalone ACT A.C.D | No | Yes | Yes | Yes | Y | Y | N | |
| PBX Trunks | No | Yes | Yes | Yes | Y | Y | N | |

Table 1: LSR Flow-Through Matrix

| Product | F/T ³ | Complex Service ⁴ | Complex Order | Planned Fallout For Manual Handling ¹ | Edi | Tag ² | Lens | Comments |
|------------------------------------|------------------|------------------------------|---------------|--|-----|------------------|------|----------|
| Port/Loop Combo | Yes | UNE | No | No | Y | Y | Y | |
| Port/Loop PHX | No | No | No | Yes | Y | Y | N | |
| Preferred Call Forward | Yes | No | No | No | Y | Y | Y | |
| RCF Basic | Yes | No | No | No | Y | Y | Y | |
| Remote Access to CF | Yes | No | No | No | Y | Y | Y | |
| Repeat Dialing | Yes | No | No | No | Y | Y | Y | |
| Ringmaster | Yes | No | No | No | Y | Y | Y | |
| Smartpath | No | Yes | Yes | NA | N | N | N | |
| SmartRING | No | Yes | Yes | NA | N | N | N | |
| Speed Calling | Yes | No | No | No | Y | Y | Y | |
| Synchronet | No | Yes | Yes | Yes | Y | Y | N | |
| Tie Lines | No | Yes | Yes | NA | N | N | N | |
| Touchtone | Yes | No | No | No | Y | Y | Y | |
| Unbundled Loop-Analog 2W, SL1, SL2 | Yes | UNE | No | No | Y | Y | Y | |
| WATS | No | Yes | Yes | NA | N | N | N | |
| xDSL Extended LOOP | No | UNE | Yes | NA | N | N | N | |

Note¹: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note²: The TAG column includes those LSRs submitted via Robo TAG

Note³: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLICs, special pricing plans, denials – restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through), class of service invalid in certain states with some TOS – e.g. government, or cannot be changed when changing main TN on C activity, low volume – e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listing indentations and captions, transfer of calls option for CLIC and user new TN not yet posted to BOCRTS. Many are unique to the CLIC environment.

Note⁴: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

Service Requests canceled by the CLEC prior to being rejected/clarified.

Business Rules

Fully Mechanized: An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported as a separate category.

Calculation

Percent Rejected Service Requests = $(a - b) \times 100$

- a = Total Number of Rejected Service Requests in the reporting period
- b = Total Number of Service Requests Received in the reporting period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Product Specific percent Rejected
- Total percent Rejected

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| <ul style="list-style-type: none"> • Report month • Total number of LSRs • Total number of Rejects • State and Region • Total Number of ASRs (Trunks) | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|--|
| Mechanized, Partially Mechanized and Non-Mechanized <ul style="list-style-type: none"> • Resale - Residence • Resale - Business • Resale - Design (Special) • Resale PBX • Resale Centrex • Resale ISDN • LNP Standalone • 2W Analog Loop Design • 2W Analog Loop Non-Design • UNE Digital Loop < DS1 • UNE Digital Loop ≥ DS1 • UNE Loop + Port Combinations • Switch Ports • UNE xDSL (ADSL, HDSL, UCL) • Line Sharing • Local Interoffice Transport • Local Interconnection Trunks | <ul style="list-style-type: none"> • Diagnostic |

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified.
- Designated Holidays are excluded from the interval calculation.
- LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM
From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM
From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported as a separate category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c ÷ d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- Geographic Scope

- State
- Region
- Mechanized:
 - 0 - ≤ 4 minutes
 - > 4 - ≤ 8 minutes
 - > 8 - ≤ 12 minutes
 - > 12 - ≤ 60 minutes
 - 0 - ≤ 1 hour
 - > 1 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 12 hours
 - > 12 - ≤ 16 hours
 - > 16 - ≤ 20 hours
 - > 20 - ≤ 24 hours
 - > 24 hours
- Partially Mechanized:
 - 0 - ≤ 1 hour
 - > 1 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 10 hours
 - 0 - ≤ 10 hours
 - > 10 - ≤ 18 hours
 - 0 - ≤ 18 hours
 - > 18 - ≤ 24 hours
 - > 24 hours
- Non-mechanized:
 - 0 - ≤ 1 hour
 - > 1 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 12 hours
 - > 12 - ≤ 16 hours
 - > 16 - ≤ 20 hours
 - > 20 - ≤ 24 hours
 - 0 - ≤ 24 hours
 - > 24 hours
- Trunks:
 - ≤ 4 days
 - > 4 - ≤ 8 days
 - > 8 - ≤ 12 days
 - > 12 - ≤ 14 days
 - > 14 - ≤ 20 days
 - > 20 days
- Average Interval for mechanized reports in hours, non-mechanized and Trunk reports in days.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|-----------------------------------|
| Report month <ul style="list-style-type: none"> • Reject Interval • Total Number of LSRs • Total number of Rejects • State and Region • Total Number of ASRs (Trunks) | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • Resale – Residence • Resale – Business • Resale – Design (Special) • Resale PBX • Resale Centrex • Resale ISDN • LNP Standalone • 2W Analog Loop Design • 2W Analog Loop Non-Design • UNE Digital Loop < DS1 • UNE Digital Loop ≥ DS1 • UNE Loop + Port Combinations • Switch Ports • UNE xDSL (ADSL, HDSL, UCL) • Line Sharing • Local Interoffice Transport | <ul style="list-style-type: none"> • Mechanized: <ul style="list-style-type: none"> - 97% within 1 Hour • Partially Mechanized: <ul style="list-style-type: none"> - 85% within 18 Hours in 3 Months - 85% within 10 Hours in 6 Months • Non-Mechanized: - 85% within 24 Hours |
| <ul style="list-style-type: none"> • Local Interconnection Trunks | <ul style="list-style-type: none"> • Trunks: 85% within 4 Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • Fully Mechanized - | <ul style="list-style-type: none"> • 97% ≤ 1 hour |

O-8: Reject Interval

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified.
- Designated Holidays are excluded from the interval calculation.
- LSRs which are identified and classified as "Projects" (under development)
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM
From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM
From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

- **Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG
- **Partially Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG
- **Total Mechanized:** Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- **Non-Mechanized:** The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- **Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported as a separate category.

Calculation

Firm Order Confirmation Time = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

Firm Order Confirmation Timeliness = (c - d)

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- Geographic Scope

- State
- Region
- Fully Mechanized:
 - 0 - ≤ 15 minutes
 - > 15 - ≤ 30 minutes
 - > 30 - ≤ 45 minutes
 - > 45 - ≤ 60 minutes
 - > 60 - ≤ 90 minutes
 - > 90 - ≤ 120 minutes
 - > 120 - ≤ 180 minutes
 - 0 - ≤ 3 hours
 - > 3 - ≤ 6 hours
 - > 6 - ≤ 12 hours
 - > 12 - ≤ 24 hours
 - > 24 - ≤ 48 hours
 - > 48 hours
- Partially Mechanized:
 - 0 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 10 hours
 - 0 - ≤ 10 hours
 - > 10 - ≤ 18 hours
 - 0 - ≤ 18 hours
 - > 18 - ≤ 24 hours
 - > 24 - ≤ 48 hours
 - > 48 hours
- Non-mechanized:
 - 0 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 12 hours
 - > 12 - ≤ 16 hours
 - > 16 - ≤ 20 hours
 - > 20 - ≤ 24 hours
 - > 24 - ≤ 36 hours
 - 0 - ≤ 36 hours
 - > 36 - ≤ 48 hours
 - > 48 hours
- Trunks:
 - 0 - ≤ 5 days
 - > 5 - ≤ 10 days
 - 0 - ≤ 10 days
 - > 10 - ≤ 15 days
 - > 15 - ≤ 20 days
 - > 20 days
- Average Interval in Days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|-----------------------------------|
| <ul style="list-style-type: none"> • Report month • Interval for FOC • Total number of LSRs • State and Region • Total Number of ASRs (Trunks) | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • Resale – Residence • Resale – Business • Resale – Design (Special) • Resale PBX • Resale Centrex • Resale ISDN • LNP Standalone • 2W Analog Loop Design • 2W Analog Loop Non-Design • UNE Digital Loop < DS1 • UNE Digital Loop ≥ DS1 • UNE Loop + Port Combinations • Switch Ports • UNE xDSL (ADSL, HDSL, UCL) • Line Sharing • Local Interoffice Transport | <ul style="list-style-type: none"> • Mechanized: - 95% within 3 Hours • Partially Mechanized: <ul style="list-style-type: none"> - 85% within 18 Hours in 3 Months - 85% within 10 Hours in 6 Months • Non-Mechanized: 85% within 36 hours |
| <ul style="list-style-type: none"> • Local Interconnection Trunks | <ul style="list-style-type: none"> • Trunks: - 95% within 10 days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • Fully Mechanized | <ul style="list-style-type: none"> • 95% within 3 hours |
| <ul style="list-style-type: none"> • Partially Mechanized | <ul style="list-style-type: none"> • 85% within 18 Hours in 3 Months • 85% within 10 Hours in 6 Months |
| <ul style="list-style-type: none"> • Non-Mechanized | <ul style="list-style-type: none"> • 85% within 36 hours |
| <ul style="list-style-type: none"> • IC Trunks | <ul style="list-style-type: none"> • 95% within 10 days |

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual¹

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- Canceled Requests
- Electronically Submitted Requests

Business Rules

This measurement combines four intervals:

1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
2. From SAC start date to SAC complete date.
3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

Calculation

FOC Timeliness Interval = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c - d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e - f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Intervals
 - 0 - ≤ 3 days
 - > 3 - ≤ 5 days
 - 0 - ≤ 5 days
 - > 5 - ≤ 7 days
 - > 7 - ≤ 10 days
 - > 10 - ≤ 15 days
 - > 15 days
- Average Interval measured in days

1. See O-9 for FOC Timeliness

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|----------------------------------|
| <ul style="list-style-type: none"> • Report Month • Total Number of Requests • SI Intervals • State and Region | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • xDSL (includes UNE unbundled ADSL, HDSL and UNE Unbundled Copper Loops) • Unbundled Interoffice Transport | <ul style="list-style-type: none"> • 95% Returned within 5 Business days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • Not Applicable | <ul style="list-style-type: none"> • Not Applicable |

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified.
- Non-Mechanized LSRs

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized – The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Note: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = $(a - b) \times 100$

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Multiple or Differing FOC / Reject Responses Not Expected

Response Completeness = $[(a + b) - c] \times 100$

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- State and Region
- CLEC Specific
- CLEC Aggregate
- BellSouth Specific

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|----------------------------------|
| Report month • Reject interval • Total number of LSRs • Total number of rejects • Total number of ASRs (Trunks) | • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|--|-------------------------|
| • Resale Residence • Resale Business • Resale Design • Resale PBX • Resale Centrex • Resale ISDN • LNP Standalone • 2W Analog Loop Design • 2W Analog Loop Non - Design • UNE Digital Loop < DS1 • UNE Digital Loop ≥ DS1 • UNE Loop and Port Combinations • Switch Ports • UNE xDSL (ADSL, HDSL, UCL) • Line Sharing • Local Interoffice Transport • Local Interconnection Trunks | • 95% Returned |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Fully Mechanized | • 95% Returned |

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a - b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC - Local Carrier Service Center
- BellSouth
 - Business Service Center
 - Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data under development

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none"> • Mechanized tracking through LCSC Automatic Call Distributor | <ul style="list-style-type: none"> • Mechanized tracking through BellSouth Retail center support system. |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|---|--|
| Aggregate <ul style="list-style-type: none"> • CLEC - Local Carrier Service Center • BellSouth <ul style="list-style-type: none"> - Business Service Center - Residence Service Center | <ul style="list-style-type: none"> • Diagnostic |

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

O-12: Speed of Answer in Ordering Center

O-13: LNP-Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are excluded.

Exclusions

- Service Requests canceled by the CLEC
- Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

Business Rules

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

$$\text{LNP-Percent Rejected Service Requests} = (a - b) \times 100$$

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|-----------------------------|----------------------------------|
| • Not Applicable | • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|---|-------------------------|
| <ul style="list-style-type: none"> • LNP • UNE Loop w/LNP | • Diagnostic |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

O-14: LNP-Reject Interval Distribution & Average Reject Interval

Definition

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are excluded.

Exclusions

- Service Requests canceled by the CLEC
- Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

Partially Mechanized: A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c ÷ d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e ÷ f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region

- Fully Mechanized:
 - 0 - ≤ 4 minutes
 - > 4 - ≤ 8 minutes
 - > 8 - ≤ 12 minutes
 - > 12 - ≤ 60 minutes
 - 0 - ≤ 1 hour
 - > 1 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 12 hours
 - > 12 - ≤ 16 hours
 - > 16 - ≤ 20 hours
 - > 20 - ≤ 24 hours
 - > 24 hours
- Partially Mechanized:
 - 0 - ≤ 1 hour
 - > 1 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 10 hours
 - 0 - ≤ 10 hours
 - > 10 - ≤ 18 hours
 - 0 - ≤ 18 hours
 - > 18 - ≤ 24 hours
 - > 24 hours
- Non-Mechanized:
 - 0 - ≤ 1 hour
 - > 1 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 12 hours
 - > 12 - ≤ 16 hours
 - > 16 - ≤ 20 hours
 - > 20 - ≤ 24 hours
 - 0 - ≤ 24 hours
 - > 24 hours
- Average Interval in Days

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|-----------------------------|----------------------------------|
| Under Development | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • LNP • UNE Loop with LNP | <ul style="list-style-type: none"> • Mechanized: 97% within 1 Hour • Partially Mechanized: 85% within 18 Hours • Non-Mechanized: 85% within 24 Hours |

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

O-14: LNP-Reject Interval Distribution & Average Reject Interval

O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

Exclusions

- Rejected LSRs (Clarifications or Fatal Rejects)
- Order Activities of BellSouth or the CLEC associated with interval or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable.

Business Rules

The Firm Order Confirmation interval is determined for each confirmed LSR processed during the reporting period. The Firm Order Confirmation interval is the elapsed time from when BellSouth receives an LSR until that LSR is confirmed back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed to produce the Firm Order Confirmation timeliness interval distribution.

- **Mechanized:** The elapsed time from receipt of a valid LSR until the LSR is processed and appropriate service orders are generated in SOCS without manual intervention.
- **Partially Mechanized:** The elapsed time from receipt of an electronically submitted LSR which falls for manual handling by the LCSC personnel until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation system (SONGS).
- **Total Mechanized:** Combination of Fully Mechanized and Partially Mechanized FOCs.
- **Non-Mechanized: (Under Development)** A valid LSR which is faxed or mailed to the BellSouth LCSC.

Calculation

Reject Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c - d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution (for each interval) = (e - f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
 - 0 - ≤ 15 minutes
 - > 15 - ≤ 30 minutes
 - > 30 - ≤ 45 minutes
 - > 45 - ≤ 60 minutes
 - > 60 - ≤ 90 minutes
 - > 90 - ≤ 120 minutes
 - > 120 - ≤ 180 minutes
 - 0 - ≤ 3 hours
 - > 3 - ≤ 6 hours

- > 6 - ≤ 12 hours
- > 12 - ≤ 24 hours
- > 24 - ≤ 48 hours
- > 48 hours
- Partially Mechanized:
 - 0 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 10 hours
 - 0 - ≤ 18 hours
 - > 10 - ≤ 18 hours
 - > 18 - ≤ 24 hours
 - > 24 - ≤ 48 hours
 - > 48 hours
- Non-Mechanized:
 - 0 - ≤ 4 hours
 - > 4 - ≤ 8 hours
 - > 8 - ≤ 12 hours
 - > 12 - ≤ 16 hours
 - > 16 - ≤ 20 hours
 - > 20 - ≤ 24 hours
 - > 24 - ≤ 36 hours
 - 0 - ≤ 36 hours
 - > 36 - ≤ 48 hours
 - > 48 hours

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|----------------------------------|
| Report Month <ul style="list-style-type: none"> • Total Number of LSRs • Total Number of FOCs • State and Region | Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • LNP • UNE Loop with LNP | <ul style="list-style-type: none"> • Mechanized: 95% within 3 Hours • Partially Mechanized: 85% within 18 hours (10 hrs. after 6 months) • Non-Mechanized: 85% within 36 hours |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| Not Applicable | Not Applicable |

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- Orders with appointment code of 'A' for Rural orders.

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days. (Orders counted in >90 days are also included in > 15 days).

Calculation

Mean Held Order Interval = a ÷ b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c ÷ d) X 100

- c = # of Orders Held for ≥ 15 days or # of Orders Held for ≥ 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, ≥ 10 (except trunks)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| <ul style="list-style-type: none"> • Report month • CLEC Order Number and PON (PON) • Order Submission Date (TICKET_ID) • Committed Due Date (DD) • Service Type (CLASS_SVC_DESC) • Hold Reason • Total line/circuit count • Geographic Scope | <ul style="list-style-type: none"> • Report month • BellSouth Order Number • Order Submission Date • Committed Due Date • Service Type • Hold Reason • Total line/circuit count • Geographic Scope |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|---|--|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • 2W Analog Loop Design | • Retail Residence and Business Dispatch |
| • 2W Analog Loop-Non-Design | • Retail Residence and Business (POTS - Excluding Switch-Based Orders) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence and Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN (Includes UDC) | • Retail ISDN - BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| • Local Interconnection Trunks | • Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

Average Jeopardy Interval = c ÷ d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Percent of Orders Given Jeopardy Notice = (e ÷ f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| <ul style="list-style-type: none"> • Report month • CLEC Order Number and PON • Date and Time Jeopardy Notice sent • Committed Due Date • Service Type | <ul style="list-style-type: none"> • Report month • BellSouth Order Number • Date and Time Jeopardy Notice sent • Committed Due Date • Service Type |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark: |
|--|--|
| % Orders Given Jeopardy Notice | |
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • 2W Analog Loop Design | • Retail Residence and Business Dispatch |
| • 2W Analog Loop Non-Design | • Retail Residence and Business (POTS Excluding Switch-Based Orders) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence and Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN (Includes UDC) | • Retail ISDN BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| • Local Interconnection Trunks | • Parity with Retail |
| • Average Jeopardy Notice Interval (Electronic Only) | • 95% ≥ 48 Hours |

SEEM Measure

| SEEM Measure | |
|---------------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|----------------------------|------------------------------|
| • Not Applicable | • Not Applicable |

P-3: Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Interconnection Trunks

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

$$\text{Percent Missed Installation Appointments} = (a - b) \times 100$$

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Report in Categories of <10 lines/circuits ≥ 10 lines/circuits (except trunks)
- Dispatch/No Dispatch

Report Explanation: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| <ul style="list-style-type: none"> • Report month • CLEC Order Number and PON (PON) • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope | <ul style="list-style-type: none"> • Report month • BellSouth Order Number • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|---|--|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • 2W Analog Loop Design | • Retail Residence and Business Dispatch |
| • 2W Analog Loop Non-Design | • Retail Residence and Business (POTS Excluding Switch-Based Orders) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Switch ports | • Retail Residence and Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN (Includes UDC) | • Retail ISDN - BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| • Local Interconnection Trunks | • Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|---------------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • ADSL provided to Retail |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- End user-caused misses

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, ≥ 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval = (c - d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e - f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0,1,3,4,5,5+
- UNE and Design reported in day intervals = 0-5,5-10,10-15,15-20,20-25,25-30, ≥ 30
- All Levels are reported < 10 line/circuits; ≥ 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| <ul style="list-style-type: none"> • Report month • CLEC Company Name • Order Number (PON) • Application Date & Time • Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Geographic Scope | <ul style="list-style-type: none"> • Report month • BellSouth Order Number • Order Submission Date & Time • Order Completion Date & Time • Service Type • Geographic Scope |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|---|--|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • 2W Analog Loop Design | • Retail Residence and Business Dispatch + 2 days |
| • 2W Analog Loop Non-Design | • Retail Residence and Business (POTS Excluding Switch-Based Orders) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Switch ports | • Retail Residence and Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • 7 Days w/o conditioning |
| • UNE xDSL (HDSL, ADSL and UCL) | • 14 Days with conditioning |
| • UNE ISDN (Includes UDC) | • Retail ISDN BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| • Local Interconnection Trunks | • Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • 7 Days w/o conditioning |
| • UNE xDSL | • 14 Days with conditioning |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and SPM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the SPM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c - d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0-1-2-2-4-4-8-8-12-12-24, ≥ 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 = 1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line / circuits; ≥ 10 line/circuits (except trunks)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|---|
| <ul style="list-style-type: none"> • Report month • CLEC Order Number (so_nbr) • Work Completion Date (cmplt_n_d) • Work Completion Time • Completion Notice Availability Date • Completion Notice Availability Time • Service Type • Geographic Scope | <ul style="list-style-type: none"> • Report month • BellSouth Order Number (so_nbr) • Work Completion Date (cmplt_n_d) • Work Completion Time • Completion Notice Availability Date • Completion Notice Availability Time • Service Type • Geographic Scope |
| Note: Code in parentheses is the corresponding header found in the raw data file. | NOTE: Code in parentheses is the corresponding header found in the raw data file. |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|---|--|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • LNP (Standalone) | • Retail Residence and Business (POTS) |
| • 2W Analog Loop Design | • Retail Residence and Business Dispatch |
| • 2W Analog Loop Non-Design | • Retail Residence and Business (POTS Excluding Switch-Based Orders) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Switch ports | • Retail Residence and Business (POTS) |
| • UNE Combo Other | • Retail Residence and Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN (Includes UDC) | • Retail ISDN BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| • Local Interconnection Trunks | • Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

P-5: Average Completion Notice Interval

P-6: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to a CLEC equipment. This measurement applies to service orders with and without LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

Business Rules

Where the service order includes LNP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c - d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- The interval breakout is 0<5 = 0-4.99, 5<15 = 5-14.99, ≥15 = 15 and greater, plus Overall Average Interval.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|--|
| <ul style="list-style-type: none"> Report Month CLEC Order Number Committed Due Date (DD) Service Type (CLASS_SVC_DESC) Cut over Start Time Cut over Completion time Portability start and completion times (INP orders) Total Conversions (Items) | <ul style="list-style-type: none"> No BellSouth Analog Exists |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> Unbundled Loops with INP Unbundled Loops with LNP | <ul style="list-style-type: none"> 95% ≤ 15 minutes |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Unbundled Loops | • 95% ≤ 15 minutes |

P-6A: Coordinated Customer Conversions – Hot Cut Timeliness % Within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop.

Business Rules

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. ≤ 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, ≤30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

A Hot Cut is considered complete when one of the following occurs:

1. BellSouth performs the hot cut, notifies the CLEC by telephone.
2. BellSouth performs the hot cut and attempts to notify the CLEC by telephone, but receives no answer and leaves a phone message.

Calculation

$$\% \text{ within Interval} = (a - b) \times 100$$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

$$\text{Interval} = (c - d)$$

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

$$\text{Average Interval} = (e + f)$$

- Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- CLEC Aggregate
 - Reported in intervals of early, on time and late cuts % ≤ 15 minutes; % >15 minutes, ≤30 minutes; % >30 minutes, plus Overall Average Interval

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report Month • CLEC Order Number (so_nbr) • Committed Due Date (DD) • Service Type (CLASS_SVC_DESC) • Cut over Scheduled Start Time • Cut over Actual Start Time • Total Conversions Orders | <ul style="list-style-type: none"> • No BellSouth Analog exists |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • Product Reporting Level <ul style="list-style-type: none"> - SL1 Time Specific - SL1 Non-Time Specific - SL2 Time Specific - SL2 Non-Time Specific - SL1 IDLC - SL2 IDLC | <ul style="list-style-type: none"> • 95% Within + or - 15 minutes of Scheduled Start Time • 95% within 4-hour window |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> - UNE Loops - SL1 IDLC | <ul style="list-style-type: none"> • 95% Within + or - 15 minutes of Scheduled Start time • 95% within 4-hour window |

P-6B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cut overs where service outages are due to CLEC caused reasons
- Cut overs where service outages are due to end-user caused reasons

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c ÷ d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

Report Structure

- CLEC Specific
- CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|--|
| <ul style="list-style-type: none"> • Report month • CLEC Company Name • CLEC Order Number (so_nbr) • Committed Due Date (DD) • Service Type (CLASS_SVC_DESC) • CLEC Acceptance Conflict (CLEC_CONFLICT) under development • CLEC Conflict Resolved (CLEC_RESOLVE) under development • CLEC Conflict MFC (CLEC_CONFLICT_MFC) under development • Total Conversion Orders | <ul style="list-style-type: none"> • None |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | | Retail Analog/Benchmark |
|--|---------|--|
| <ul style="list-style-type: none"> • Unbundled Loops with INP • Unbundled Loops with LNP | Tier I | <ul style="list-style-type: none"> • Diagnostic |
| | Tier II | |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • Not Applicable | <ul style="list-style-type: none"> • Not Applicable |

P-6C: Coordinated Customer Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated Customer Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

Exclusions

- Any order canceled by the CLEC
- Troubles caused by Customer Provided Equipment

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = $(a + b) \times 100$

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|--|
| <ul style="list-style-type: none"> • Report Month • CLEC Order Number (so_nbr) • PON • Order Submission Date (TICKET_ID) • Order Submission Time (TICKET_ID) • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope • Total conversion circuits | <ul style="list-style-type: none"> • No BellSouth Analog exists |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • UNE Loop Design • UNE Loop Non-Design • Dispatch/Non-Dispatch | <ul style="list-style-type: none"> • ≤ 5% |

P-6C: Coordinated Customer Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • UNE Loops | • $\leq 5\%$ |

P-7: Cooperative Acceptance Testing - % of xDSL Loops Tested

Definition

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested = $(a + b) \times 100$

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report Month • CLEC Company Name (OCN) • CLEC Order Number (so_nbr) and PON (PON) • Committed Due Date (DD) • Service Type (CLASS_SVC_DESC) • Acceptance Testing Completed (ACCEPT_TESTING) under development • Acceptance Testing Declined (ACCEPT_TESTING) under development • Total xDSL Orders | <ul style="list-style-type: none"> • No BellSouth analog exists |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation: | Retail Analog/Benchmark: |
|--|---|
| <ul style="list-style-type: none"> • UNE xDSL - ADSL - HDSL - UCL - OTHER | <ul style="list-style-type: none"> • 95% of Lines Tested |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation: | SEEM Analog/Benchmark: |
|----------------------|------------------------|
| • UNE xDSL | • 95% of Lines Tested |

P-8: % Provisioning Troubles within 30 days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = $(a + b) \times 100$

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; ≥ 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report Month • CLEC Order Number and PON • Order Submission Date (TICKET_ID) • Order Submission Time (TICKET_ID) • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope | <ul style="list-style-type: none"> • Report Month • BellSouth Order Number • Order Submission Date • Order Submission Time • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope |
| Note: Code in parentheses is the corresponding header found in the raw data file. | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • Resale Residence | • Retail Residence |

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|---|--|
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • 2W Analog Loop Design | • Retail Residence and Business Dispatch |
| • 2W Analog Loop Non -Design | • Retail Residence and Business (POTS - Excluding Switch-Based Orders) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN (Includes UDC) | • Retail ISDN BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • UNE Switch ports | • Retail Residence and Business (POTS) |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Combo Other | • Retail Residence, Business and Design Dispatch |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |
| • Local Interconnection Trunks | • Parity with Retail |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • ADSL provided to Retail |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

P-9: Total Service Order Cycle Time (TSOCT)

Definition

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect - Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address).
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c - d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e - f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; ≥ 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, ≥ 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, ≥ 30 = 30 and greater.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report Month • Interval for FOC • CLEC Company Name (OCN) • Order Number (PON) • Submission Date & Time (TICKET_ID) • Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Geographic Scope | <ul style="list-style-type: none"> • Report Month • BellSouth Order Number • Order Submission Date & Time • Order Completion Date & Time • Service Type • Geographic Scope |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • Resale Residence • Resale Business • Resale Design • Resale PBX • Resale Centrex • Resale ISDN • LNP (Standalone) • 2W Analog Loop Design • 2W Analog Loop Non-Design • UNE Switch ports • UNE Digital Loops < DS1 • UNE Digital Loops ≥ DS1 • UNE Loop + Port Combinations • UNE Combo Other • UNE xDSL (HDSL, ADSL and UCL) • UNE ISDN • UNE Line Sharing • Local Transport (Unbundled Interoffice Transport) • Local Interconnection Trunks | <ul style="list-style-type: none"> • Diagnostic |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

P-10: LNP-Percent Missed Installation Appointments

Definition

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

Business Rules

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

LNP Percent Missed Installation Appointments = $(a - b) \times 100$

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State/Region
- Report in Categories of <10 lines/circuits ≥ 10 lines/circuits (except trunks)
- Dispatch/No Dispatch

Report explanation: Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|----------------------------------|
| <ul style="list-style-type: none"> • Report month • CLEC Order Number and PON (PON) • Committed Due Date (DD) • Completion Date (CMPLTN DD) • Status Type • Status Notice Date • Standard Order Activity • Geographic Scope | Not Applicable |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | SQM Retail Analog/Benchmark |
|-----------------------------|--------------------------------------|
| • LNP | • Retail Residence & Business (POTS) |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|--------------------------------------|
| • LNP | • Retail Residence & Business (POTS) |

P-11: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

Business Rules

The Disconnect Timeliness interval is determined for each number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

Average Disconnect Timeliness Interval = (c - d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Disconnect Timeliness Interval Distribution (for each interval) = (e - f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State, Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|--|
| <ul style="list-style-type: none"> • Order Number • Telephone Number / Circuit Number • Committed Due Date • Receipt Date / Time (ESI Number Manager) • Date/Time of Recent Change Notice | <ul style="list-style-type: none"> • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation: | SQM Retail Analog/Benchmark: |
|------------------------------|------------------------------|
| • LNP | • 95% within 24 hours |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • LNP | • 95% within 24 hours |

P-12: LNP-Total Service Order Cycle Time (TSOCT)

Definition

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

Business Rules

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

Calculation

Total Service Order Cycle Time = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

Average Total Service Order Cycle Time = (c - d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

Total Service Order Cycle Time Interval Distribution (for each interval) = (e - f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; ≥ 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, ≥ 30 Days. The interval breakout is: 0-5 = 0-4.99, 5-10 = 5-9.99, 10-15 = 10-14.99, 15-20 = 15-19.99, 20-25 = 20-24.99, 25-30 = 25-29.99, ≥ 30 = 30 and greater.

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report Month • Interval for FOC • CLEC Company Name (OCN) • Order Number (PON) • Submission Date & Time (TICKET_ID) • Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Geographic Scope | <ul style="list-style-type: none"> • Not Applicable |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • LNP | <ul style="list-style-type: none"> • Diagnostic |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • Not Applicable | <ul style="list-style-type: none"> • Not Applicable |

Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = $(a \div b) \times 100$

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

Report Structure

- Dispatch / Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none">• Report month• CLEC Company Name• Submission Date & Time (TICKET_ID)• Completion Date (CMPLTN_DT)• Service Type (CLASS_SVC_DESC)• Disposition and Cause (CAUSE_CD & CAUSE_DESC)• Geographic Scope <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | <ul style="list-style-type: none">• Report month• BellSouth Company Code• Submission Date & Time• Completion Date• Service Type• Disposition and Cause (Non-Design /Non-Special Only)• Trouble Code (Design and Trunking Services)• Geographic Scope |

SQM Disaggregation - Retail Analog/Benchmark

| SQM Level of Disaggregation | SQM Retail Analog/Benchmark |
|---|---|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • 2W Analog Loop Design | • Retail Residence & Business Dispatch |
| • 2W Analog Loop Non - Design | • Retail Residence & Business (POTS) (Exclusion of switch-based feature troubles) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence & Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN | • Retail ISDN - BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • ADSL provided to Retail |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

M&R-2: Customer Trouble Report Rate

Definition

Initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.
- LMOS - Code 7 (Test OK), Code 8 (Found OK - In), Code 9 (Found OK - Out)
- WFA - No Trouble Found (NTF)

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = $(a + b) \times 100$

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- Dispatch / Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|--|
| <ul style="list-style-type: none"> • Report month • CLEC Company Name • Ticket Submission Date & Time (TICKET_ID) • Ticket Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Disposition and Cause (CAUSE_CD & CAUSE_DESC) • # Service Access Lines in Service at the end of period • Geographic Scope <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | <ul style="list-style-type: none"> • Report month • BellSouth Company Code • Ticket Submission Date & Time • Ticket Completion Date • Service Type • Disposition and Cause (Non-Design /Non-Special Only) • Trouble Code (Design and Trunking Services) • # Service Access Lines in Service at the end of period • Geographic Scope |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| • Resale ISDN | • Retail ISDN |
| • 2W Analog Loop Design | • Retail Residence & Business Dispatch |
| • 2W Analog Loop Non – Design | • Retail Residence & Business (POTS) (Exclusion of switch-based feature troubles) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence & Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • ADSL provided to Retail |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

Average Maintenance Duration = (c ÷ d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

Report Structure

- Dispatch / Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience: | Relating to BellSouth Performance: |
|---|---|
| <ul style="list-style-type: none"> • Report month • Total Tickets (LINE_NBR) • CLEC Company Name • Ticket Submission Date & Time (TICKET_ID) • Ticket Completion Date (CMPLTN_DT) • Service Type (CLASS_SVC_DESC) • Disposition and Cause (CAUSE_CD & CAUSE_DESC) • Geographic Scope <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | <ul style="list-style-type: none"> • Report month • Total Tickets • BellSouth Company Code • Ticket Submission Date • Ticket Submission Time • Ticket Completion Date • Ticket Completion Time • Total Duration Time • Service Type • Disposition and Cause (Non-Design /Non-Special Only) • Trouble Code (Design and Trunking Services) • Geographic Scope |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail business |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |
| • Resale ISDN | • Retail ISDN |
| • 2W Analog Loop Design | • Retail Residence & Business Dispatch |
| • 2W Analog Loop Non – Design | • Retail Residence & Business (POTS) (Exclusion of switch-based feature troubles) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence & Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • ADSL provided to Retail |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

Includes Customer trouble reports received within 30 days of an original Customer trouble report

Calculation

Percent Repeat Troubles within 30 Days = $(a + b) \times 100$

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

Report Structure

- Dispatch / Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|---|
| <ul style="list-style-type: none"> • Report month • Total Tickets (LINE_NBR) • CLEC Company Name • Ticket Submission Date & Time (TICKET_ID) • Ticket Completion Date (CMPLTN_DT) • Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT) • Service Type • Disposition and Cause (CAUSE_CD & CAUSE_DESC) • Geographic Scope <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | <ul style="list-style-type: none"> • Report month • Total Tickets • BellSouth Company Code • Ticket Submission Date • Ticket Submission Time • Ticket Completion Date • Ticket Completion Time • Total and Percent Repeat Trouble Reports within 30 Days • Service Type • Disposition and Cause (Non-Design /Non-Special Only) • Trouble Code (Design and Trunking Services) • Geographic Scope |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| • Resale ISDN | • Retail ISDN |
| • 2W Analog Loop Design | • Retail Residence & Business Dispatch |
| • 2W Analog Loop Non – Design | • Retail Residence & Business (POTS) (Exclusion of switch-based feature troubles) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence & Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--------------------------------|--|
| • Resale POTS | • Retail Residence and Business (POTS) |
| • Resale Design | • Retail Design |
| • UNE Loop + Port Combinations | • Retail Residence and Business |
| • UNE Loops | • Retail Residence and Business Dispatch |
| • UNE xDSL | • ADSL provided to Retail |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |

M&R-4: Percent Repeat Troubles within 30 Days

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = $(a + b) \times 100$

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

Report Structure

- Dispatch / Non - Dispatch
- CLEC Specific
- BellSouth Aggregate
- CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Report Month • Total Tickets • CLEC Company Name • Ticket Submission Date & Time (TICKET_ID) • Ticket Completion Date (CMPLTN_DT) • Percentage of Customer Troubles out of • Service > 24 Hours (OOS>24_FLAG) • Service type (CLASS_SVC_DESC) • Disposition and Cause (CAUSE_CD & CAUSE-DESC) • Geographic Scope | <ul style="list-style-type: none"> • Report Month • Total Tickets • BellSouth Company Code • Ticket Submission Date • Ticket Submission time • Ticket Completion Date • Ticket Completion Time • Percent of Customer Troubles out of Service > 24 Hours • Service type • Disposition and Cause (Non-Design/Non-Special only) • Trouble Code (Design and Trunking Services) • Geographic Scope |
| <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|-----------------------------|----------------------|
| • Resale Residence | • Retail Residence |
| • Resale Business | • Retail Business |
| • Resale Design | • Retail Design |
| • Resale PBX | • Retail PBX |
| • Resale Centrex | • Retail Centrex |

| SQM Level of Disaggregation | SQM Analog/Benchmark |
|---|---|
| • Resale ISDN | • Retail ISDN |
| • 2W Analog Loop Design | • Retail Residence & Business Dispatch |
| • 2W Analog Loop Non – Design | • Retail Residence & Business (POTS) (Exclusion of switch-based feature troubles) |
| • UNE Digital Loop < DS1 | • Retail Digital Loop < DS1 |
| • UNE Digital Loop ≥ DS1 | • Retail Digital Loop ≥ DS1 |
| • UNE Loop + Port Combinations | • Retail Residence & Business |
| • UNE Switch ports | • Retail Residence & Business (POTS) |
| • UNE Combo Other | • Retail Residence, Business & Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | • ADSL provided to Retail |
| • UNE ISDN | • Retail ISDN – BRI |
| • UNE Line Sharing | • ADSL provided to Retail |
| • Local Interconnection Trunks | • Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | • Retail DS1/DS3 Interoffice |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

M&R-6: Average Answer Time – Repair Centers

Definition

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

None

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c + d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|-----------------------------|----------------------------------|
| • CLEC Average Answer Time | • BellSouth Average Answer Time |

SQM Disaggregation - Analog / Benchmark

| SQM Level of Disaggregation | Retail Analog / Benchmark |
|---|---|
| • Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional. | • For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers. |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

BellSouth will inform the CLEC of any Network outages (key customer accounts)

Exclusions

None

Business Rules

The time it takes for the BellSouth Network Reliability Center (NRC) to notify the CLEC and BellSouth of a customer impacting network incident in equipment that may be utilized by the CLEC. When the BellSouth NRC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth Retail. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

Calculation

Time to Notify CLEC = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and time BellSouth detected network incident

Mean Time to Notify CLEC = (c ÷ d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

Report Structure

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|--|
| <ul style="list-style-type: none"> • Report Month • Major Network events • Date/Time of Incident • Date/Time of Notification | <ul style="list-style-type: none"> • Report Month • Major Network events • Date/Time of Incident • Date/Time of Notification |

SQM Disaggregation - Analog / Benchmark

| SQM Level of Disaggregation | Retail Analog / Benchmark |
|--|--|
| <ul style="list-style-type: none"> • BellSouth Aggregate • CLEC Aggregate • CLEC Specific | <ul style="list-style-type: none"> • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

M&R-7: Mean Time To Notify CLEC of Network Outages

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

Calculation

$$\text{Invoice Accuracy} = [(a - b) \div a] \times 100$$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| <ul style="list-style-type: none">• Report Month• Invoice Type<ul style="list-style-type: none">- UNE- Resale- Interconnection• Total Billed Revenue• Billing Related Adjustments | <ul style="list-style-type: none">• Report month• Retail Type<ul style="list-style-type: none">- CRIS- CABS• Total Billed Revenue• Billing Related Adjustments |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> Product / Invoice Type - Resale - UNE - Interconnection | <ul style="list-style-type: none"> CLEC Invoice Accuracy is comparable to BellSouth Invoice Accuracy |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> CLEC State BellSouth State | <ul style="list-style-type: none"> Parity with Retail |

B2: Mean Time to Deliver Invoices

Definition

Bill Distribution is calculated as follows: **CRIS BILLS**-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Exclusions

Any invoices rejected due to formatting or content errors.

Business Rules

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c ÷ d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| <ul style="list-style-type: none"> • Report month • Invoice Type <ul style="list-style-type: none"> - UNE - Resale - Interconnection • Invoice Transmission Count • Date of Scheduled Bill Close | <ul style="list-style-type: none"> • Report month • Invoice Type <ul style="list-style-type: none"> - CRIS - CABS • Invoice Transmission Count • Date of Scheduled Bill Close |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|--|
| Product / Invoice Type <ul style="list-style-type: none"> • Resale • UNE • Interconnection | <ul style="list-style-type: none"> • CRIS-based invoices will be released for delivery within six (6) business days. • CABS-based invoices will be released for delivery within eight (8) calendar days. • CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems. |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> • CLEC State <ul style="list-style-type: none"> - CRIS - CABS • BellSouth Region | <ul style="list-style-type: none"> • Parity with Retail |

B3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

$$\text{Usage Data Delivery Accuracy} = (a - b) \div a \times 100$$

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> - BellSouth Recorded - Non-BellSouth Recorded | <ul style="list-style-type: none"> • Report month • Record Type |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • Region | <ul style="list-style-type: none"> • CLEC Usage Data Delivery Accuracy is comparable to BellSouth Usage Data Delivery Accuracy |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---|---|
| <ul style="list-style-type: none">• CLEC State• BellSouth Region | <ul style="list-style-type: none">• Parry with Retail |

B4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a + b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> - BellSouth Recorded - Non-BellSouth Recorded | <ul style="list-style-type: none"> • Report month • Record Type |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • Region | <ul style="list-style-type: none"> • CLEC Usage Data Delivery Completeness is comparable to BellSouth Usage Data Delivery Completeness |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

B5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Timeliness Current month = $(a + b) \times 100$

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> - BellSouth Recorded - Non-BellSouth Recorded | <ul style="list-style-type: none"> • Report Monthly • Record Type |

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • Region | <ul style="list-style-type: none"> • CLEC Usage Data Delivery Timeliness is comparable to BellSouth Usage Data Delivery Timeliness |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

B6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Mean Time to Deliver Usage = $(a \times b) + c$

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Report Structure

- CLEC Aggregate
- CLEC Specific
- BellSouth Aggregate
- Region

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|---|---|
| <ul style="list-style-type: none"> • Report Month • Record Type <ul style="list-style-type: none"> - BellSouth Recorded - Non-BellSouth Recorded | <ul style="list-style-type: none"> • Report Monthly • Record Type |

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • Region | <ul style="list-style-type: none"> • Mean Time to Deliver Usage to CLEC is comparable to Mean Time to Deliver Usage to BellSouth |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

B6: Mean Time to Deliver Usage

B7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

Calculation

$$\text{Recurring Charge Completeness} = (a + b) \times 100$$

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the correct bill

¹Correct bill = next available bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|---|
| <ul style="list-style-type: none"> • Report month • Invoice type • Total recurring charges billed • Total billed on time | <ul style="list-style-type: none"> • Report month • Retail Analog • Total recurring charges billed • Total billed on time |

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| Product/Invoice Type | |
| • Resale | • Parity |
| • UNE | • Benchmark 90% |
| • Interconnection | • Benchmark 90% |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

B8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill

Calculation

Non-Recurring Charge Completeness = $(a \div b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the correct bill

¹Correct bill = next available bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|--|---|
| <ul style="list-style-type: none"> • Report month • Invoice type • Total non-recurring charges billed • Total billed on time | <ul style="list-style-type: none"> • Report month • Retail Analog • Total non-recurring charges billed • Total billed on time |

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark: |
|-----------------------------|--------------------------|
| Product/Invoice Type | |
| • Resale | • Parity |
| • UNE | • Benchmark 90% |
| • Interconnection | • Benchmark 90% |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

Section 6: Operator Services And Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer - Toll = $a \div b$

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds – Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation: | Retail Analog/Benchmark: |
|------------------------------|--------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = $a + b$

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
- State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

Exclusions

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

$$\text{Update Interval} = (a - b)$$

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

$$\text{Average Update Interval} = (c \div d)$$

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|-----------------------------|-----------------------------------|
| • (Under Development) | • (Under Development) |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation: | Retail Analog/Benchmark: |
|--|--------------------------|
| Database Type <ul style="list-style-type: none"> • LIDB • Directory Listings • Directory Assistance | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

Exclusions

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services.

Business Rules

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders will be pulled each month. The sample will be used to test the accuracy of the database update process. This is a manual process.

Calculation

$$\text{Percent Update Accuracy} = (a \div b) \times 100$$

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Performance |
|--|--|
| <ul style="list-style-type: none">• Report Month• CLEC Order Number (so_nbr) and PON (PON)• Local Service Request (LSR)• Order Submission Date• Number of Orders Reviewed <p>Note: Code in parentheses is the corresponding header found in the raw data file.</p> | <ul style="list-style-type: none">• Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM LEVEL of Disaggregation | Retail Analog/Benchmark: |
|--|--|
| <p>Database Type</p> <ul style="list-style-type: none">• LIDB• Directory Database | <ul style="list-style-type: none">• 95% Accurate |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Exclusions

- Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = $(a \div b) \times 100$

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Company Name • Company Code • NPA/NXX • LERG Effective Date • Loaded Date | <ul style="list-style-type: none"> • Not Applicable |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> Geographic scope Region | <ul style="list-style-type: none"> 100% by LERG effective date |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|--|
| <ul style="list-style-type: none"> Not Applicable | <ul style="list-style-type: none"> Not Applicable |

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

$$\text{E911 Timeliness} = (a + b) \times 100$$

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

E-1: Timeliness

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

$$\text{E911 Accuracy} = (a \div b) \times 100$$

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted in 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c ÷ d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report month
- Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|-------------------------|
| • None | • Parity by Design |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

| | Point A | Point B |
|--------------|-------------------------|-------------------------|
| Category 1: | BellSouth End Office | BellSouth Access Tandem |
| Category 3: | BellSouth End Office | CLEC Switch |
| Category 4: | BellSouth Local Tandem | CLEC Switch |
| Category 5: | BellSouth Access Tandem | CLEC Switch |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |
| Category 16: | BellSouth Tandem | BellSouth Tandem |

BellSouth Affecting Categories:

| | Point A | Point B |
|-------------|----------------------|----------------------|
| Category 9: | BellSouth End Office | BellSouth End Office |

Calculation

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|---|
| <ul style="list-style-type: none"> • Report Month • Total Trunk Groups • Number of Trunk Groups by CLEC • Hourly blocking per trunk group • Hourly usage per trunk group • Hourly call attempts per trunk group | <ul style="list-style-type: none"> • Report Month • Total Trunk Groups • Aggregate Hourly blocking per trunk group • Hourly usage per trunk group • Hourly call attempts per trunk group |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark: |
|---|--|
| <ul style="list-style-type: none"> • CLEC aggregate • BellSouth aggregate | <ul style="list-style-type: none"> • Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark: |
|---|---|
| <ul style="list-style-type: none"> • CLEC aggregate • BellSouth aggregate | <ul style="list-style-type: none"> • Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1,3,4,5,10,16 for CLECs and 9 for BellSouth |

TGP-2: Trunk Group Performance-CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

- This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

| | Point A | Point B |
|--------------|-------------------------|-------------------------|
| Category 1: | BellSouth End Office | BellSouth Access Tandem |
| Category 3: | BellSouth End Office | CLEC Switch |
| Category 4: | BellSouth Local Tandem | CLEC Switch |
| Category 5: | BellSouth Access Tandem | CLEC Switch |
| Category 10: | BellSouth End Office | BellSouth Local Tandem |
| Category 16: | BellSouth Tandem | BellSouth Tandem |

BellSouth Affecting Categories:

| | Point A | Point B |
|-------------|----------------------|----------------------|
| Category 9: | BellSouth End Office | BellSouth End Office |

Calculation:

Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|---|
| <ul style="list-style-type: none"> • Report Month • Total Trunk Groups • Number of Trunk Groups by CLEC • Hourly blocking per trunk group • Hourly usage per trunk group • Hourly call attempts per trunk group | <ul style="list-style-type: none"> • Report Month • Total Trunk Groups • Aggregate Hourly blocking per trunk group • Hourly usage per trunk group • Hourly call attempts per trunk group |

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark: |
|--|--|
| <ul style="list-style-type: none"> • CLEC trunk group | <ul style="list-style-type: none"> • Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark: |
|---|--|
| <ul style="list-style-type: none"> • CLEC trunk group • BellSouth trunk group | <ul style="list-style-type: none"> • Any 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth |

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

Exclusions

Any application canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c ÷ d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

Data Retained

- Report period
- Aggregate data

SQM Disaggregation - Analog/Benchmark

| Level of Disaggregation | Retail Analog/Benchmark |
|---|---|
| <ul style="list-style-type: none">• State• Virtual-Initial• Virtual-Augment• Physical Caged-Initial• Physical Caged-Augment• Physical-Cageless-Initial• Physical Cageless-Augment | <ul style="list-style-type: none">• Virtual - 20 Calendar Days• Physical Caged - 30 Calendar Days• Physical Cageless - 30 Calendar Days |

SEEM Measure

| SEEM Measure | |
|--------------|---------|
| No | Tier I |
| | Tier II |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c ÷ d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period.

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

Data Retained

- Report period
- Aggregate data

SQM Disaggregation - Retail Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|---|
| <ul style="list-style-type: none"> State Virtual-Initial Virtual-Augment Physical Caged-Initial Physical Caged-Augment Physical Cageless-Initial Physical Cageless-Augment | <ul style="list-style-type: none"> Virtual - 50 Calendar Days (Ordinary) Virtual - 75 Calendar Days (Extraordinary) Physical Caged - 90 Calendar Days (Ordinary) Physical Caged - 130 Calendar Days (Extraordinary) Physical Cageless - 90 Calendar Days (Ordinary) Physical Cageless - 130 Calendar Days (Extraordinary) |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark: |
|---------------------|------------------------|
| • Not Applicable | • Not Applicable |

C-2: Collocation Average Arrangement Time

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

$$\% \text{ of Due Dates Missed} = (a + b) \times 100$$

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs

Data Retained

- Report period
- Aggregate data

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|---|--|
| <ul style="list-style-type: none"> • State • Virtual-Initial • Virtual-Augment • Physical Caged-Initial • Physical Caged-Augment • Physical Cageless-Initial • Physical Cageless-Augment | <ul style="list-style-type: none"> • $\geq 95\%$ on time |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | X |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • All Collocation Arrangements | <ul style="list-style-type: none"> • $\geq 95\%$ on time. |

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

$$\text{Timeliness of Change Management Notices} = (a \div b) \times 100$$

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

Report Structure

- BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark: |
|-----------------------------|----------------------------|
| • Region | • 95% ≥ 30 days of Release |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|----------------------------|
| • Region | • 95% ≥ 30 days of Release |

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c ÷ d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

- BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation: | Retail Analog/Benchmark: |
|------------------------------|--------------------------|
| • Region | • 90% ≤ 8 Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = $(a \div b) \times 100$

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

- BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|-----------------------------|---|
| • Region | <ul style="list-style-type: none"> • 95% ≥ 30 days if new features coding is required • 95% ≥ 5 days for documentation defects, corrections or clarifications |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|---|
| Yes | Tier I | |
| | Tier II | X |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-------------------------------|
| • Region | • 95% ≥ 30 days of the change |

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c ÷ d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

- BellSouth Aggregate

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark: |
|-----------------------------|--------------------------|
| • Region | • 90% ≤ 8 Days |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = $(a + b) \times 100$

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

- CLEC Aggregate

Data Retained

| Relating to CLEC Experience | Relating to BellSouth Experience |
|---|--|
| <ul style="list-style-type: none"> • Number of Interface Outages • Number of Notifications \leq 15 minutes | <ul style="list-style-type: none"> • Not Applicable |

SQM Level of Disaggregation - Analog/Benchmark

| SQM Level of Disaggregation | Retail Analog/Benchmark |
|--|---|
| <ul style="list-style-type: none"> • By interface type for all interfaces accessed by CLECs | <ul style="list-style-type: none"> • 97% in 15 Minutes |

| Interface | Applicable to |
|-----------|----------------|
| EDI | CLEC |
| CSOTS | CLEC |
| LENS | CLEC |
| TAG | CLEC |
| ECTA | CLEC |
| TAFI | CLEC/BellSouth |

SEEM Measure

| SEEM Measure | | |
|--------------|---------|--|
| No | Tier I | |
| | Tier II | |

SEEM Disaggregation - Analog/Benchmark

| SEEM Disaggregation | SEEM Analog/Benchmark |
|---------------------|-----------------------|
| • Not Applicable | • Not Applicable |

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

Maintenance Query Types:

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- Aggregate CLEC State



- Aggregate CLEC Region
- BellSouth State
- BellSouth Region

Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

- Σ A mathematical symbol representing the sum of a series of values following the symbol.
- A mathematical operator representing subtraction.
- + A mathematical operator representing addition.
- \div A mathematical operator representing division.
- < A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.
- \leq A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.
- > A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.
- \geq A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.
- () Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

A

ACD: Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate: Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC: Alternative Local Exchange Company = FL CLEC

ADSL: Asymmetrical Digital Subscriber Line

ASR: Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS: Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN: ATLAS software contract for Telephone Number.

Auto Clarification: The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

B

BFR: Bona Fied Request

BILLING: The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS: Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI: Basic Rate ISDN

BRC: Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth : BellSouth Telecommunications, Inc.

C

CABS: Carrier Access Billing System

CCC: Coordinated Customer Conversions

CCP: Change Control Process

Centrex: A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID: A unique identifier for elements combined in a service configuration

CLEC: Competitive Local Exchange Carrier

CLP: Competitive Local Provider = NC CLEC

CM: Change Management

CMDS: Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI: Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS: Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

CRSACCTS: CRIS software contract for CSR information

CRSG: Complex Resale Support Group

C-SOTS: CLEC Service Order Tracking System

CSR: Customer Service Record

CTTG: Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D

DA: Directory Assistance

DESIGN: Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

DISPOSITION & CAUSE: Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH: Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR: Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

DS-0: The worldwide standard speed for one digital voice signal (64000 bps).

DS-1: 24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE: Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DSAP: DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI: DSAP software contract for schedule information.

DSL: Digital Subscriber Line

DUI: Database Update Information

E

E911: Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI: Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX: BellSouth Centrex Service

F

Fatal Reject: The number of LSRs that were electronically rejected from LEO, which checks to see if the LSR has all the required fields correctly populated.

Flow-Through: In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC: Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX: Foreign Exchange

G**H**

HAL: "Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS: HAL software contract for CSR information

HDSL: High Density Subscriber Loop/Line

I

ILEC: Incumbent Local Exchange Company

INP: Interim Number Portability

ISDN: Integrated Services Digital Network

IPC: Interconnection Purchasing Center

L

LAN: Local Area Network

LAUTO: The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC: Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Pre-ordering transactions along with associated expedite requests and escalations.

Legacy System: Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS: Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO: Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG: Local Exchange Routing Guide

LESOG: Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS: Loop Facilities Assessment and Control System

LIDB: Line Information Database

LMOS: Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

LMOS HOST: LMOS host computer

LMOSupd: LMOS updates

LMU: Loop Make-up

LMUS: Loop Make-up Service Inquiry

LNP: Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

LOOPS : Transmission paths from the central office to the customer premises.

LRN: Location Routing Number

LSR: Local Service Request – A request for local resale service or unbundled network elements from a CLEC.

M

Maintenance & Repair: The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH: BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

N

NBR: New Business Request

NC: "No Circuits" - All circuits busy announcement.

NIW: Network Information Warehouse

NMLI: Native Mode LAN Interconnection

NPA: Numbering Plan Area

NXX: The "exchange" portion of a telephone number.

O

OASIS: Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN: OASIS software contract for feature/service

OASISCAR: OASIS software contract for feature/service

OASISLPC: OASIS software contract for feature/service

OASISMTN: OASIS software contract for feature/service

OASISNET: OASIS software contract for feature/service

OASISOCP: OASIS software contract for feature/service

ORDERING: The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

OSPCM: Outside Plant Contract Management System - Provides Scheduling Information.

OSS: Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

OUT OF SERVICE: Customer has no dial tone and cannot call out.

P

PMAP: Performance Measurement Analysis Platform

PON: Purchase Order Number

POTS: Plain Old Telephone Service

PREDICTOR: The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

Preordering: The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI: Primary Rate ISDN

Provisioning: The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS: Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB: PSIMS software contract for feature/service.

Q**R**

RNS: Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS: Regional Ordering System

RRC: Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG: Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR: RSAG software contract for address search.

RSAGTN: RSAG software contract for telephone number search.

S

SAC: Service Advocacy Center

SEEM: Self Effectuating Enforcement Mechanism

SOCS: Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

SOIR: Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS: Service Order Negotiation and Generation System.

T

TAFI: Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG: Telecommunications Access Gateway - TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN: Telephone Number

Total Manual Fallout: The number of LSRs which are entered electronically but require manual entering into a service order generator.

U

UNE: Unbundled Network Element

UCL: Unbundled Copper Link

USOC: Universal Service Order Code

V**W**

WATS: Wide Area Telephone Service

WFA: Work Force Administration

WMC: Work Management Center

WTN: Working Telephone Number.

X



Y

Z

Appendix C: BellSouth Audit Policy

C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

1. Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing measurements.
2. Production addresses the quality assurance steps used to create monthly SQM reports.
3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

1. The cost shall be borne 50% by BellSouth and 50% by the CLECs.
2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM and PMAP produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.

ATTACHMENT 2

Fee Schedule per affected item

LIQUIDATED DAMAGES TABLE FOR TIER-1 MEASURES

| PER AFFECTED ITEM | | | | | | |
|--|----------------|----------------|---------------|---------------|----------------|----------------|
| | Month 1 | Month 2 | Month3 | Month4 | Month 5 | Month 6 |
| Pre-Ordering | \$20 | \$30 | \$40 | \$50 | \$60 | \$70 |
| Ordering | \$40 | \$50 | \$60 | \$70 | \$80 | \$90 |
| Provisioning | \$100 | \$125 | \$175 | \$250 | \$325 | \$500 |
| Provisioning UNE (Coordinated Customer Conversions) | \$400 | \$450 | \$500 | \$550 | \$650 | \$800 |
| Maintenance and Repair | \$100 | \$125 | \$175 | \$250 | \$325 | \$500 |
| Maintenance and Repair UNE | \$400 | \$450 | \$500 | \$550 | \$650 | \$800 |
| LNP | \$150 | \$250 | \$500 | \$600 | \$700 | \$800 |
| Billing | \$1.00 | \$1.00 | \$1.00 | \$1.00 | \$1.00 | \$1.00 |
| Change Management | \$1000 | \$1000 | \$1000 | \$1000 | \$1000 | \$1000 |
| IC Trunks | \$100 | \$125 | \$175 | \$250 | \$325 | \$500 |
| Collocation | \$5,000 | \$5,000 | \$5,000 | \$5,000 | \$5,000 | \$5,000 |

REMEDY PAYMENTS FOR TIER-2 MEASURES

| | Per Affected Item |
|--|--------------------------|
| OSS | |
| Pre-Ordering | \$20 |
| Ordering | \$60 |
| Provisioning | \$300 |
| UNE Provisioning (Coordinated Customer Conversions) | \$875 |
| Maintenance and Repair | \$300 |
| UNE Maintenance and Repair | \$875 |
| Billing | \$1.00 |
| LNP | \$500 |
| IC Trunks | \$500 |
| Collocation | \$15,000 |
| Change Management | \$1,000 |

ATTACHMENT 3

Calculation Procedures

SEEM REMEDY PROCEDURE

TIER-1 CALCULATION FOR RETAIL ANALOGUES:

1. Calculate the overall test statistic for each ALEC; z_{ALEC-1}^T (Per Statistical Methodology discussed by Dr. Mulrow)
2. Calculate the balancing critical value(B_{ALEC-1}^C) that is associated with the alternative hypothesis (for fixed parameters δ, Ψ , or ϵ)
3. If the overall test statistic is equal to or above the balancing critical value, stop here. That is, if $B_{ALEC-1}^C < z_{ALEC-1}^T$, stop here. Otherwise, go to step 4.
4. Calculate the Parity Gap by subtracting the value of step 2 from that of step 1. $ABS(z_{ALEC-1}^T - B_{ALEC-1}^C)$
5. Calculate the Volume Proportion using a linear distribution with slope of $\frac{1}{4}$. This can be accomplished by taking the absolute value of the Parity Gap from step 4 divided by 4; $ABS((z_{ALEC-1}^T - B_{ALEC-1}^C) / 4)$. All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5 by the Total Impacted ALEC-1 Volume (I_c) in the negatively affected cell; where the cell value is negative.
7. Calculate the payment to ALEC-1 by multiplying the result of step 6 by the appropriate dollar amount from the fee schedule.
8. Then, $ALEC-1 \text{ payment} = \text{Affected Volume}_{ALEC-1} * \$\$ \text{ from Fee Schedule}$

Example: ALEC-1 Missed Installation Appointments (MIA) for Resale POTS.

Note – the statistical results are only illustrative. They are not a result of a statistical test of this data.

| | n_1 | N_C | I_c | MIA_1 | MIA_C | z_{ALEC-1}^T | C_B | Parity Gap | Volume Proportion | Affected Volume |
|-------|-------|-------|-------|---------|---------|----------------|-------|------------|-------------------|-----------------|
| State | 50000 | 600 | 96 | 9% | 16% | -1.92 | -0.21 | 1.71 | 0.4275 | |
| Cell | | | | | | z_{ALEC-1} | | | | |
| 1 | | 150 | 17 | 0.091 | 0.113 | -1.994 | | | | 8 |
| 2 | | 75 | 8 | 0.176 | 0.107 | 0.734 | | | | |
| 3 | | 10 | 4 | 0.128 | 0.400 | -2.619 | | | | 2 |
| 4 | | 50 | 17 | 0.158 | 0.340 | -2.878 | | | | 8 |
| 5 | | 15 | 2 | 0.245 | 0.133 | 1.345 | | | | |
| 6 | | 200 | 26 | 0.156 | 0.130 | 0.021 | | | | |
| 7 | | 30 | 7 | 0.166 | 0.233 | -0.600 | | | | 3 |
| 8 | | 20 | 3 | 0.106 | 0.150 | -0.065 | | | | 2 |
| 9 | | 40 | 9 | 0.193 | 0.225 | -0.918 | | | | 4 |
| 10 | | 10 | 3 | 0.160 | 0.300 | -0.660 | | | | 2 |

29

where n_1 = ILEC observations and n_C = ALEC-1 observations
Payout for ALEC-1 is (29 units) * (\$100/unit) = \$2,900

Example: ALEC-1 Order Completion Interval (OCI) for Resale POTS

| | n_I | n_C | I_c | OCI_I | OCI_C | z^T_{ALEC-1} | C_B | Parity Gap | Volume Proportion | Affected Volume |
|-------|-------|-------|-------|---------|---------|----------------|-------|------------|-------------------|-----------------|
| State | 50000 | 600 | 600 | 5days | 7days | -1.92 | -0.21 | 1.71 | 0.4275 | |
| Cell | | | | | | z_{ALEC-1} | | | | |
| 1 | | 150 | 150 | 5 | 7 | -1.994 | | | | 64 |
| 2 | | 75 | 75 | 5 | 4 | 0.734 | | | | |
| 3 | | 10 | 10 | 2 | 3.8 | -2.619 | | | | 4 |
| 4 | | 50 | 50 | 5 | 7 | -2.878 | | | | 21 |
| 5 | | 15 | 15 | 4 | 2.6 | 1.345 | | | | |
| 6 | | 200 | 200 | 3.8 | 2.7 | 0.021 | | | | |
| 7 | | 30 | 30 | 6 | 7.2 | -0.600 | | | | 13 |
| 8 | | 20 | 20 | 5.5 | 6 | -0.065 | | | | 9 |
| 9 | | 40 | 40 | 8 | 10 | -0.918 | | | | 17 |
| 10 | | 10 | 10 | 6 | 7.3 | -0.660 | | | | 4 |

133

where n_I = ILEC observations and n_C = ALEC-1 observations

Payout for ALEC-1 is (133 units) * (\$100/unit) = \$13,300

TIER-2 CALCULATION for RETAIL ANALOGUES:

1. Tier-2 is triggered by three consecutive monthly failures of any Tier 2 Remedy Plan submetric.
2. Therefore, calculate monthly statistical results and affected volumes as outlined in steps 2 through 6 for the ALEC Aggregate performance. Determine average monthly affected volume for the rolling 3 month period.
3. Calculate the payment to State Designated Agency by multiplying average monthly volume by the appropriate dollar amount from the Tier-2 fee schedule.

Therefore, State Designated Agency payment = \square Average monthly volume * \$\$ from Fee Schedule

Example: ALEC-A Missed Installation Appointments (MIA) for Resale POTS

| State | n_I | n_C | I_C | MIA_I | MIA_C | z^T_{ALEC-A} | C_B | Parity Gap | Volume Proportion | Affected Volume |
|---------|--------|-------|-------|---------|---------|----------------|-------|------------|-------------------|-----------------|
| Month 1 | 180000 | 2100 | 336 | 9% | 16% | -1.92 | -0.21 | 1.71 | 0.4275 | |
| Cell | | | | | | z_{ALEC-A} | | | | |
| 1 | | 500 | 56 | 0.091 | 0.112 | -1.994 | | | | 24 |
| 2 | | 300 | 30 | 0.176 | 0.100 | 0.734 | | | | |
| 3 | | 80 | 27 | 0.128 | 0.338 | -2.619 | | | | 12 |
| 4 | | 205 | 60 | 0.158 | 0.293 | -2.878 | | | | 26 |
| 5 | | 45 | 4 | 0.245 | 0.089 | 1.345 | | | | |
| 6 | | 605 | 79 | 0.156 | 0.131 | 0.021 | | | | |
| 7 | | 80 | 19 | 0.166 | 0.238 | -0.600 | | | | 9 |
| 8 | | 40 | 6 | 0.106 | 0.150 | -0.065 | | | | 3 |
| 9 | | 165 | 36 | 0.193 | 0.218 | -0.918 | | | | 16 |
| 10 | | 80 | 19 | 0.160 | 0.238 | -0.660 | | | | 9 |

99

where n_I = ILEC observations and n_C = ALEC-A observations

Assume Months 2 and 3 have the same affected volumes. Payout 99 units * \$300/unit = \$29,700.

TIER-1 CALCULATION FOR BENCHMARKS

1. For each ALEC, with five or more observations, calculate monthly performance results for the State.
2. ALECs having observations (sample sizes) between 5 and 30 will use Table I below. The only exception will be for Collocation Percent Missed Due Dates.

Table I **Small Sample Size Table**
(95% Confidence)

| Sample Size | Equivalent 90% Benchmark | Equivalent 95% Benchmark | Sample Size | Equivalent 90% Benchmark | Equivalent 95% Benchmark |
|-------------|--------------------------|--------------------------|-------------|--------------------------|--------------------------|
| 5 | 60.00% | 80.00% | 16 | 75.00% | 87.50% |
| 6 | 66.67% | 83.33% | 17 | 76.47% | 82.35% |
| 7 | 71.43% | 85.71% | 18 | 77.78% | 83.33% |
| 8 | 75.00% | 75.00% | 19 | 78.95% | 84.21% |
| 9 | 66.67% | 77.78% | 20 | 80.00% | 85.00% |
| 10 | 70.00% | 80.00% | 21 | 76.19% | 85.71% |
| 11 | 72.73% | 81.82% | 22 | 77.27% | 86.36% |
| 12 | 75.00% | 83.33% | 23 | 78.26% | 86.96% |
| 13 | 76.92% | 84.62% | 24 | 79.17% | 87.50% |
| 14 | 78.57% | 85.71% | 25 | 80.00% | 88.00% |
| 15 | 73.33% | 86.67% | 26 | 80.77% | 88.46% |
| | | | 27 | 81.48% | 88.89% |
| | | | 28 | 78.57% | 89.29% |
| | | | 29 | 79.31% | 86.21% |
| | | | 30 | 80.00% | 86.67% |

3. If the percentage (or equivalent percentage for small samples) meets the benchmark standard, stop here. Otherwise, go to step 4.
4. Determine the Volume Proportion by taking the difference between the benchmark and the actual performance result.
5. Calculate the Affected Volume by multiplying the Volume Proportion from step 4 by the Total Impacted ALEC-1 Volume.
6. Calculate the payment to ALEC-1 by multiplying the result of step 5 by the appropriate dollar amount from the fee schedule.

$$\text{ALEC-1 payment} = \text{Affected Volume}_{\text{ALEC-1}} * \$\$ \text{ from Fee Schedule}$$

Example: ALEC-1 Percent Missed Due Dates for Collocations

| | n_c | Benchmark | MIA_c | Volume Proportion | Affected Volume |
|-------|-------|-----------|---------|-------------------|-----------------|
| State | 600 | 10% | 13% | .03 | 18 |

$$\text{Payout for ALEC-1 is } (18 \text{ units}) * (\$5000/\text{unit}) = \underline{\$90,000}$$

TIER-1 CALCULATION FOR BENCHMARKS (in the form of a target):

1. For each ALEC with five or more observations calculate monthly performance results for the State.
2. ALECs having observations (sample sizes) between 5 and 30 will use Table 1 above.
3. Calculate the interval distribution based on the same data set used in step 1.
4. If the 'percent within' (or equivalent percentage for small samples) meets the benchmark standard, stop here. Otherwise, go to step 5.
5. Determine the Volume Proportion by taking the difference between benchmark and the actual performance result.
6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5 by the Total ALEC-1 Volume.
7. Calculate the payment to ALEC-1 by multiplying the result of step 6 by the appropriate dollar amount from the fee schedule.

$$\text{ALEC-1 payment} = \text{Affected Volume}_{\text{ALEC-1}} * \$\$ \text{ from Fee Schedule}$$

Example: ALEC-1 Reject Timeliness

| | n _c | Benchmark | Reject Timeliness | Volume Proportion | Affected Volume |
|-------|----------------|-------------------|-------------------|-------------------|-----------------|
| State | 600 | 95% within 1 hour | 93% within 1 hour | .02 | 12 |

$$\text{Payout for ALEC-1 is (12 units) * (\$100/unit) = } \underline{\underline{\$1,200}}$$

TIER-2 CALCULATIONS for BENCHMARKS:

Tier-2 calculations for benchmark measures are the same as the Tier-1 benchmark calculations except the ALEC Aggregate data is evaluated over a three consecutive month period.

1 STATE OF ALABAMA
2 ALABAMA PUBLIC SERVICE COMMISSION
3 MONTGOMERY, ALABAMA
4
5

6 IN RE: PETITION FOR ARBITRATION OF
7 ITC-DELTACOM COMMUNICATIONS, INC., WITH
8 BELLSOUTH TELECOMMUNICATIONS, INC.,
9

10 DOCKET NO. 27091

11 VOLUME I
12

13 PROCEEDINGS taken before the Alabama
14 Public Service Commission in the
15 above-referenced matter on January 18,
16 2000, commencing at 9:50 a.m. in the
17 hearing room of the Alabama Public
18 Service Commission, the RSA Union
19 Building, 100 North Union Street, Room
20 904, Montgomery, Alabama, before Amy L.
21 Maddox, Certified Shorthand Reporter and
22 Notary Public in and for the State of
23 Alabama at Large.

COPY

MONTGOMERY REPORTING SERVICE
(334) 262-3331
FAX (334) 834-6048

1 are in it.

2 Q. And, of course, I think you've testified
3 to this before, that DeltaCom did not
4 participate in the Texas proceedings, but
5 obtained this particular document from a
6 consultant in Texas; correct?

7 A. That's correct.

8 Q. And, of course, to your knowledge, did
9 BellSouth participate in the proceedings
10 in Texas?

11 A. I can't understand any reason why they
12 would have, but to the best of my
13 knowledge, no.

14 Q. Is DeltaCom asking for a separate,
15 different set of performance measurements
16 if there's an industry-wide set of
17 performance measures established?

18 A. No, not really. In fact, we'd prefer the
19 adoption of an industry-wide set of
20 performance measures, but you have to
21 understand at the time of our -- that we
22 filed this arbitration, the performance
23 measures that BellSouth had in hand were

1 far from complete. Now, I think
2 BellSouth should be commended at this
3 point. Since we filed in June our
4 arbitration here, the BellSouth
5 performance measures have moved
6 tremendously in terms of moving towards
7 completion. So BellSouth has done a lot
8 of work in recent months to complete
9 those performance measures. I don't know
10 what the status is of them today.

11 But as I've stated in other
12 states, we would be very willing to look
13 at those performance measures, to adopt
14 them as the performance measures in this
15 interconnection agreement, and we would
16 highly recommend that our guarantees be
17 added to the performance measures. There
18 needs to be some guarantee level. We're
19 not trying to be different or create
20 something unique, but we recognize two
21 things: One, we had to put this out on
22 the table or we wouldn't be taken
23 seriously; two, as Mr. Gentle previously

MONTGOMERY REPORTING SERVICE
(334) 262-3331
FAX (334) 834-6048

1 performance measurements in Attachment 10
2 just on an interim basis?

3 A. No, I have not.

4 Q. And is it possible that there could be
5 significant costs involved in
6 implementing Attachment 10 on an interim
7 basis, only to have this Commission adopt
8 BellSouth's SQMs in a generic proceeding
9 six or seven months down the road?

10 A. There could be, but once again, I'm
11 really interested in implementing our
12 interconnection agreement and getting
13 what we need in place. Now, I think
14 we've been extremely flexible in terms of
15 accommodating BellSouth in saying, we
16 don't have to have these performance
17 measures as we've laid them out. I don't
18 think we have to lay that in concrete, as
19 I've indicated. You've made -- you,
20 BellSouth, have made great strides in
21 improving and completing the performance
22 measures that were far from complete six,
23 seven months ago when we had to make a

MONTGOMERY REPORTING SERVICE
(334) 262-3331
FAX (334) 834-6048

1 decision to file an arbitration case. So
2 we've been very accommodating there.
3 We're willing to move off that, accept
4 those -- the SQMs, add the guarantees to
5 them, and move forward.

6 Q. And that's really what this whole issue
7 comes down to, is performance guarantees;
8 correct?

9 A. It could get to that, yes.

10 Q. And under your -- under DeltaCom's
11 proposal, I think you mentioned this in
12 your summary, there are three different
13 tiers of performance guarantees or
14 penalties; is that correct?

15 A. That's correct.

16 Q. And the first tier involves certain
17 waiver of nonrecurring charges or similar
18 type refunds to DeltaCom; correct?

19 A. Yes, that is correct.

20 Q. And the second tier involves a payment of
21 25,000 dollars to the state if BellSouth
22 fails to meet any performance measurement
23 for two consecutive months or two months

1 out of a quarter; is that correct?

2 A. Also correct.

3 Q. And the third tier, of course, is the
4 100,000-dollar-payment per day, again to
5 the State of Alabama, if BellSouth fails
6 to meet a single measure five times in a
7 six-month period; correct?

8 A. Also correct.

9 Q. If I could, do you have your Attachment
10 10 in front of you?

11 A. No, I don't.

12 Q. It was attached to the petition for
13 arbitration.

14 A. No, I don't, but I think we have a copy
15 here. We'll have it in a second. Okay.

16 Q. If I could get you to look at Attachment
17 10, Mr. Rozycki, page 4, which is the
18 actual specific performance measures.

19 A. Yes.

20 Q. One of these measures, Measure 10, deals
21 with percent BellSouth missed due dates
22 due to lack of facilities. Do you see
23 that?

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION

- - - - -
In the Matter of: :

Petition by ITC^DELTACOM : Docket No. 10854-U
COMMUNICATIONS, INC. for Arbitration :
of its Interconnection Agreement with: :
BELLSOUTH TELECOMMUNICATIONS, INC. :
pursuant to the Telecommunications :
Act of 1996 :
- - - - -

Room 507
47 Trinity Avenue
Atlanta, Georgia

Monday, November 29, 1999

The above-entitled matter came on for hearing
pursuant to Notice at 10:04 a.m.

BEFORE:

LAUREN "BUBBA" MCDONALD, Vice Chairman
ROBERT BAKER, Commissioner
DAVID BURGESS, Commissioner

* * *

Brandenburg & Hasty
231 Fairview Road
Ellenwood, Georgia 30294

1 into an entire explanation of how they came up with their
2 measures and I'm sure, Mr. Rozycki, we'll get to that
3 discussion, but I think I just asked a simple question I'm
4 not sure I got an answer to.

5 THE WITNESS: Repeat the question and let me --

6 BY MR. ALEXANDER:

7 Q Deltacom is asking the Georgia Commission on this
8 issue, 1-A, that it should adopt Deltacom's performance
9 measures, performance guarantees that are set forth in
10 attachment 10 to its petition?

11 A Originally that's what we've asked. In my
12 rebuttal testimony I've indicated that at this point in the
13 interest of settling this issue, we would be willing to
14 accept the performance measures, the SQMs, of BellSouth so
15 long as they are coupled with the guarantees that we have
16 proposed. I don't want to continue fighting with you over
17 this issue of whether we should have different standards for
18 ITC^Deltacom versus the rest of the industry. I would
19 concede that your performance measures at this point have
20 come a long way since we originally filed our petition, and
21 that's why we are moving in that direction. But, we still
22 hold fast on the notion that performance guarantees need to
23 be in place.

24 Did I answer you this time?

25 Q Well, I think you did, and I knew that was in your